

| OPTIONS | Group        | A-41792-0002/0018 | Group        | A-41792-0511/0527 | Group        | A-41792-0528/0544 | Group        | A-41792-0562/0578 |
|---------|--------------|-------------------|--------------|-------------------|--------------|-------------------|--------------|-------------------|
|         | Header No:   | 41790-0002/0018   | Header No:   | 41790-0002/0018   | Header No:   | 41790-0002/0018   | Header No:   | 41790-0002/0018   |
|         | Pin No:      | 2161-37(102)      | Pin No:      | 43294-0569        | Pin No:      | 43294-0570        | Pin No:      | 43294-0570        |
|         | Plating:     | 102 – TIN         | Plating:     | 208 – 15 GOLD     | Plating:     | 228 – 30 GOLD     | Plating:     | 228 – 30 GOLD     |
|         | Pin Length L | 27.94 / 1.100     | Pin Length L | 27.94 / 1.100     | Pin Length L | 27.94 / 1.100     | Pin Length L | 27.94 / 1.100     |
|         | Mating M     | 11.43 / .450      | Mating M     | 11.43 / .450      | Mating M     | 11.43 / .450      | Mating M     | 11.43 / .450      |
|         | Gold Loc G   | N/A               | Gold Loc G   | 6.86/ .270        | Gold Loc G   | 6.86/ .270        | Gold Loc G   | 6.86/ .270        |
|         | Height Y     | 5.41 / .213       | Height Y     | 5.41 / .213       | Height Y     | 5.41 / .213       | Height Y     | 5.41 / .213       |
|         | PC Tail P    | 3.96/ .156        | PC Tail P    | 3.96/ .156        | PC Tail P    | 3.96/ .156        | PC Tail P    | 3.96/ .156        |
|         | Tin Loc T    | OVERALL           | Tin Loc T    | 5.08/ .200        | Tin Loc T    | 5.08/ .200        | Tin Loc T    | 5.08/ .200        |
|         | Voided Ckts  | NONE              | Voided Ckts  | NONE              | Voided Ckts  | NONE              | Voided Ckts  | 2                 |
|         | Pack Per     | PK-41792-002      | Pack Per     | PK-41792-002      | Pack Per     | PK-41792-002      | Pack Per     | PK-41792-002      |
| Ckts    | Material No  | Engineer Number   | Material No  | Engineer Number   | Material No  | Engineer Number   | Material No  | Engineer Number   |
| 2       | 26-60-5020   | A-41792-0002      | 41792-0511   | A-41792-0511      | 41792-0528   | A-41792-0528      | 41792-0562   | A-41792-0562      |
| 3       | 26-60-5030   | A-41792-0003      | 41792-0512   | A-41792-0512      | 41792-0529   | A-41792-0529      | 41792-0563   | A-41792-0563      |
| 4       | 26-60-5040   | A-41792-0004      | 41792-0513   | A-41792-0513      | 41792-0530   | A-41792-0530      | 41792-0564   | A-41792-0564      |
| 5       | 26-60-5050   | A-41792-0005      | 41792-0514   | A-41792-0514      | 41792-0531   | A-41792-0531      | 41792-0565   | A-41792-0565      |
| 6       | 26-60-5060   | A-41792-0006      | 41792-0515   | A-41792-0515      | 41792-0532   | A-41792-0532      | 41792-0566   | A-41792-0566      |
| 7       | 26-60-5070   | A-41792-0007      | 41792-0516   | A-41792-0516      | 41792-0533   | A-41792-0533      | 41792-0567   | A-41792-0567      |
| 8       | 26-60-5080   | A-41792-0008      | 41792-0517   | A-41792-0517      | 41792-0534   | A-41792-0534      | 41792-0568   | A-41792-0568      |
| 9       | 26-60-5090   | A-41792-0009      | 41792-0518   | A-41792-0518      | 41792-0535   | A-41792-0535      | 41792-0569   | A-41792-0569      |
| 10      | 26-60-5100   | A-41792-0010      | 41792-0519   | A-41792-0519      | 41792-0536   | A-41792-0536      | 41792-0570   | A-41792-0570      |
| 11      | 26-60-5110   | A-41792-0011      | 41792-0520   | A-41792-0520      | 41792-0537   | A-41792-0537      | 41792-0571   | A-41792-0571      |
| 12      | 26-60-5120   | A-41792-0012      | 41792-0521   | A-41792-0521      | 41792-0538   | A-41792-0538      | 41792-0572   | A-41792-0572      |
| 13      | 26-60-5130   | A-41792-0013      | 41792-0522   | A-41792-0522      | 41792-0539   | A-41792-0539      | 41792-0573   | A-41792-0573      |
| 14      | 26-60-5140   | A-41792-0014      | 41792-0523   | A-41792-0523      | 41792-0540   | A-41792-0540      | 41792-0574   | A-41792-0574      |
| 15      | 26-60-5150   | A-41792-0015      | 41792-0524   | A-41792-0524      | 41792-0541   | A-41792-0541      | 41792-0575   | A-41792-0575      |
| 16      | 26-60-5160   | A-41792-0016      | 41792-0525   | A-41792-0525      | 41792-0542   | A-41792-0542      | 41792-0576   | A-41792-0576      |
| 17      | 26-60-5170   | A-41792-0017      | 41792-0526   | A-41792-0526      | 41792-0543   | A-41792-0543      | 41792-0577   | A-41792-0577      |
| 18      | 26-60-5180   | A-41792-0018      | 41792-0527   | A-41792-0527      | 41792-0544   | A-41792-0544      | 41792-0578   | A-41792-0578      |

|                         |                              |  |                     |
|-------------------------|------------------------------|--|---------------------|
| REV:                    | <u>ECR/ECN INFORMATION:</u>  | <u>TITLE:</u>  | <u>SHEET No.</u>    |
| <b>H6</b>               | EC No.: <b>UCP2008-2821</b>  | <b>KK 156 HEADER ASSEMBLY<br/>FRICTION LOCK<br/>RIGHT ANGLE W/O PEGS</b> | <b>- 2 -</b>        |
|                         | DATE: <b>6/23/2008</b>       |  |                     |
| <u>DOCUMENT NUMBER:</u> | <u>CREATED / REVISED BY:</u> | <u>CHECKED BY:</u>   | <u>APPROVED BY:</u> |
| <b>SDA- 41792</b>       | <b>GAVERRILL</b>             | <b>MKIPPER</b>   | <b>FSMITH</b>       |

|         |              |                   |              |                   |              |                   |              |                 |
|---------|--------------|-------------------|--------------|-------------------|--------------|-------------------|--------------|-----------------|
| OPTIONS | Group        | A-41792-0019/0035 | Group        | A-41792-0036/0050 | Group        | A-41792-0051/0067 | Group        |                 |
|         | Header No:   | 41790-0002/0018   | Header No:   | 41790-0004/0018   | Header No:   | 41790-0002/0018   | Header No:   |                 |
|         | Pin No:      | 2161-37(501)      | Pin No:      | 2161-37(102)      | Pin No:      | 2161-64(102)      | Pin No:      |                 |
|         | Plating:     | 501 – GOLD        | Plating:     | 102 – TIN         | Plating:     | 102 - TIN         | Plating:     |                 |
|         | Pin Length L | 27.94 / 1.100     | Pin Length L | 27.94 / 1.100     | Pin Length L | 29.85 / 1.175     | Pin Length L |                 |
|         | Mating M     | 11.43 / .450      | Mating M     | 11.43 / .450      | Mating M     | 13.28 / .523      | Mating M     |                 |
|         | Gold Loc G   | OVERALL           | Gold Loc G   | N/A               | Gold Loc G   | N/A               | Gold Loc G   |                 |
|         | Height Y     | 5.41 / .213       | Height Y     | 5.41 / .213       | Height Y     | 5.41 / .213       | Height Y     |                 |
|         | PC Tail P    | 3.96/ .156        | PC Tail P    | 3.96/ .156        | PC Tail P    | 4.01 / .158       | PC Tail P    |                 |
|         | Tin Loc T    | N/A               | Tin Loc T    | OVERALL           | Tin Loc T    | OVERALL           | Tin Loc T    |                 |
|         | Voided Ckts  | NONE              | Voided Ckts  | 4                 | Voided Ckts  | NONE              | Voided Ckts  |                 |
|         | Pack Per     | PK-41792-002      | Pack Per     | PK-41792-002      | Pack Per     | PK-41792-002      | Pack Per     |                 |
| Ckts    | Material No  | Engineer Number   | Material No  | Engineer Number   | Material No  | Engineer Number   | Material No  | Engineer Number |
| 2       | 26-61-5020   | A-41792-0019      |              |                   |              |                   |              |                 |
| 3       | 26-61-5030   | A-41792-0020      |              |                   |              |                   |              |                 |
| 4       | 26-61-5040   | A-41792-0021      | 26-61-5043   | A-41792-0036      | 26-60-5041   | A-41792-0053      |              |                 |
| 5       | 26-61-5050   | A-41792-0022      | 26-61-5053   | A-41792-0037      |              |                   |              |                 |
| 6       | 26-61-5060   | A-41792-0023      | 26-61-5063   | A-41792-0038      |              |                   |              |                 |
| 7       | 26-61-5070   | A-41792-0024      | 26-61-5073   | A-41792-0039      |              |                   |              |                 |
| 8       | 26-61-5080   | A-41792-0025      | 26-61-5083   | A-41792-0040      |              |                   |              |                 |
| 9       | 26-61-5090   | A-41792-0026      | 26-61-5093   | A-41792-0041      |              |                   |              |                 |
| 10      | 26-61-5100   | A-41792-0027      | 26-61-5103   | A-41792-0042      |              |                   |              |                 |
| 11      | 26-61-5110   | A-41792-0028      | 26-61-5113   | A-41792-0043      |              |                   |              |                 |
| 12      | 26-61-5120   | A-41792-0029      | 26-61-5123   | A-41792-0044      |              |                   |              |                 |
| 13      | 26-61-5130   | A-41792-0030      | 26-61-5133   | A-41792-0045      |              |                   |              |                 |
| 14      | 26-61-5140   | A-41792-0031      | 26-61-5143   | A-41792-0046      |              |                   |              |                 |
| 15      | 26-61-5150   | A-41792-0032      | 26-61-5153   | A-41792-0047      |              |                   |              |                 |
| 16      | 26-61-5160   | A-41792-0033      | 26-61-5163   | A-41792-0048      |              |                   |              |                 |
| 17      | 26-61-5170   | A-41792-0034      | 26-61-5173   | A-41792-0049      |              |                   |              |                 |
| 18      | 26-61-5180   | A-41792-0035      | 26-61-5183   | A-41792-0050      |              |                   |              |                 |

|                         |                              |  |                     |
|-------------------------|------------------------------|--|---------------------|
| REV:                    | <u>ECR/ECN INFORMATION:</u>  | <u>TITLE:</u>  | <u>SHEET No.</u>    |
| <b>H6</b>               | EC No.: <b>UCP2008-2821</b>  | <b>KK 156 HEADER ASSEMBLY<br/>FRICTION LOCK<br/>RIGHT ANGLE W/O PEGS</b> | <b>- 3 -</b>        |
|                         | DATE: <b>6/23/2008</b>       |  |                     |
| <u>DOCUMENT NUMBER:</u> | <u>CREATED / REVISED BY:</u> | <u>CHECKED BY:</u>   | <u>APPROVED BY:</u> |
| <b>SDA- 41792</b>       | <b>GAVERRILL</b>             | <b>MKIPPER</b>   | <b>FSMITH</b>       |

|         |              |                   |              |                   |              |                   |              |                   |
|---------|--------------|-------------------|--------------|-------------------|--------------|-------------------|--------------|-------------------|
| OPTIONS | Group        | A-41792-0198/0213 | Group        | A-41792-0214/0227 | Group        | A-41792-0242/0257 | Group        | A-41792-0341/0352 |
|         | Header No:   | 41790-0002/0018   | Header No:   | 41790-0005/0018   | Header No:   | 41790-0003/0018   | Header No:   | 41790-0007/0018   |
|         | Pin No:      | 2161-37(102)      | Pin No:      | 2161-37(102)      | Pin No:      | 2161-37(102)      | Pin No:      | 2161-37(102)      |
|         | Plating:     | 102 – TIN         | Plating:     | 102 – TIN         | Plating:     | 102 – TIN         | Plating:     | 102 – TIN         |
|         | Pin Length L | 27.94/ 1.100      | Pin Length L | 27.94/ 1.100      | Pin Length L | 27.94/ 1.100      | Pin Length L | 27.94/ 1.100      |
|         | Mating M     | 11.43 / .450      | Mating M     | 11.43 / .450      | Mating M     | 11.43 / .450      | Mating M     | 11.43 / .450      |
|         | Gold Loc G   | N/A               | Gold Loc G   | N/A               | Gold Loc G   | N/A               | Gold Loc G   | N/A               |
|         | Height Y     | 5.41 / .213       | Height Y     | 5.41 / .213       | Height Y     | 5.41 / .213       | Height Y     | 5.41 / .213       |
|         | PC Tail P    | 3.96 / .156       | PC Tail P    | 3.96 / .156       | PC Tail P    | 3.96 / .156       | PC Tail P    | 3.96 / .156       |
|         | Tin Loc T    | OVERALL           | Tin Loc T    | OVERALL           | Tin Loc T    | OVERALL           | Tin Loc T    | OVERALL           |
|         | Voided Ckts  | 2                 | Voided Ckts  | 5                 | Voided Ckts  | 3                 | Voided Ckts  | 7                 |
|         | Pack Per     | PK-41792-002      | Pack Per     | PK-41792-002      | Pack Per     | PK-41792-002      | Pack Per     | PK-41792-002      |
| Ckts    | Material No  | Engineer Number   | Material No  | Engineer Number   | Material No  | Engineer Number   | Material No  | Engineer Number   |
| 2       |              |                   |              |                   |              |                   |              |                   |
| 3       | 26-62-5031   | A-41792-0198      |              |                   | 26-62-5035   | A-41792-0242      |              |                   |
| 4       | 26-62-5041   | A-41792-0199      |              |                   | 26-62-5045   | A-41792-0243      |              |                   |
| 5       | 26-62-5051   | A-41792-0200      | 41792-0214   | A-41792-0214      | 26-62-5055   | A-41792-0244      |              |                   |
| 6       | 26-62-5061   | A-41792-0201      | 26-62-5060   | A-41792-0215      | 26-62-5065   | A-41792-0245      |              |                   |
| 7       | 26-62-5071   | A-41792-0202      | 41792-0216   | A-41792-0216      | 26-62-5075   | A-41792-0246      | 41792-0341   | A-41792-0341      |
| 8       | 26-62-5081   | A-41792-0203      | 41792-0217   | A-41792-0217      | 26-62-5085   | A-41792-0247      | 41792-0342   | A-41792-0342      |
| 9       | 26-62-5091   | A-41792-0204      | 41792-0218   | A-41792-0218      | 26-62-5095   | A-41792-0248      | 41792-0343   | A-41792-0343      |
| 10      | 26-62-5101   | A-41792-0205      | 26-62-5100   | A-41792-0219      | 26-62-5105   | A-41792-0249      | 26-62-5104   | A-41792-0344      |
| 11      | 26-62-5111   | A-41792-0206      | 41792-0220   | A-41792-0220      | 26-62-5115   | A-41792-0250      | 26-62-5114   | A-41792-0345      |
| 12      | 26-62-5121   | A-41792-0207      | 41792-0221   | A-41792-0221      | 26-62-5125   | A-41792-0251      | 41792-0346   | A-41792-0346      |
| 13      | 26-62-5131   | A-41792-0208      | 41792-0222   | A-41792-0222      | 26-62-5135   | A-41792-0252      | 41792-0347   | A-41792-0347      |
| 14      | 26-62-5141   | A-41792-0209      | 41792-0223   | A-41792-0223      | 26-62-5145   | A-41792-0253      | 41792-0348   | A-41792-0348      |
| 15      | 26-62-5151   | A-41792-0210      | 41792-0224   | A-41792-0224      | 26-62-5155   | A-41792-0254      | 41792-0349   | A-41792-0349      |
| 16      | 26-62-5161   | A-41792-0211      | 41792-0225   | A-41792-0225      | 26-62-5165   | A-41792-0255      | 41792-0350   | A-41792-0350      |
| 17      | 26-62-5171   | A-41792-0212      | 41792-0226   | A-41792-0226      | 26-62-5175   | A-41792-0256      | 41792-0351   | A-41792-0351      |
| 18      | 26-62-5181   | A-41792-0213      | 41792-0227   | A-41792-0227      | 26-62-5185   | A-41792-0257      | 41792-0352   | A-41792-0352      |

|                         |                              |  |                     |
|-------------------------|------------------------------|--|---------------------|
| REV:                    | <u>ECR/ECN INFORMATION:</u>  | <u>TITLE:</u>  | <u>SHEET No.</u>    |
| <b>H6</b>               | EC No.: <b>UCP2008-2821</b>  | <b>KK 156 HEADER ASSEMBLY<br/>FRICTION LOCK<br/>RIGHT ANGLE W/O PEGS</b> | <b>- 4 -</b>        |
|                         | DATE: <b>6/23/2008</b>       |  |                     |
| <u>DOCUMENT NUMBER:</u> | <u>CREATED / REVISED BY:</u> | <u>CHECKED BY:</u>   | <u>APPROVED BY:</u> |
| <b>SDA- 41792</b>       | <b>GAVERRILL</b>             | <b>MKIPPER</b>   | <b>FSMITH</b>       |

|         |              |                   |              |                   |              |                   |              |                   |
|---------|--------------|-------------------|--------------|-------------------|--------------|-------------------|--------------|-------------------|
| OPTIONS | Group        | A-41792-0460/0471 | Group        | A-41792-0472/0483 | Group        | A-41792-0484/0493 | Group        | A-41792-0579/0595 |
|         | Header No:   | 41790-0007/0018   | Header No:   | 41790-0007/0018   | Header No:   | 41790-0009/0018   | Header No:   | 41790-0002/0018   |
|         | Pin No:      | 2161-37(102)      | Pin No:      | 2161-37(102)      | Pin No:      | 2161-37(102)      | Pin No:      | 2161-37(154)      |
|         | Plating:     | 102 – TIN         | Plating:     | 102 – TIN         | Plating:     | 102 – TIN         | Plating:     | 154 – TIN         |
|         | Pin Length L | 27.94 / 1.100     | Pin Length L | 27.94 / 1.100     | Pin Length L | 27.94 / 1.100     | Pin Length L | 27.94 / 1.100     |
|         | Mating M     | 11.43 / .450      | Mating M     | 11.43 / .450      | Mating M     | 11.43 / .450      | Mating M     | 11.43 / .450      |
|         | Gold Loc G   | N/A               | Gold Loc G   | N/A               | Gold Loc G   | N/A               | Gold Loc G   | N/A               |
|         | Height Y     | 5.41 / .213       | Height Y     | 5.41 / .213       | Height Y     | 5.41 / .213       | Height Y     | 5.41 / .213       |
|         | PC Tail P    | 3.96 / .156       | PC Tail P    | 3.96 / .156       | PC Tail P    | 3.96 / .156       | PC Tail P    | 3.96 / .156       |
|         | Tin Loc T    | OVERALL           | Tin Loc T    | OVERALL           | Tin Loc T    | OVERALL           | Tin Loc T    | OVERALL           |
|         | Voided Ckts  | 2, 7              | Voided Ckts  | 4, 7              | Voided Ckts  | 2, 5, 9           | Voided Ckts  | NONE              |
|         | Pack Per     | PK-41792-002      | Pack Per     | PK-41792-002      | Pack Per     | PK-41792-002      | Pack Per     | PK-41792-002      |
| Ckts    | Material No  | Engineer Number   | Material No  | Engineer Number   | Material No  | Engineer Number   | Material No  | Engineer Number   |
| 2       |              |                   |              |                   |              |                   | 50-29-1904   | A-41792-0579      |
| 3       |              |                   |              |                   |              |                   | 50-29-1905   | A-41792-0580      |
| 4       |              |                   |              |                   |              |                   | 50-29-1906   | A-41792-0581      |
| 5       |              |                   |              |                   |              |                   | 50-29-1907   | A-41792-0582      |
| 6       |              |                   |              |                   |              |                   | 50-29-1908   | A-41792-0583      |
| 7       | 41792-0460   | A-41792-0460      |              | A-41792-0472      |              |                   | 50-29-1909   | A-41792-0584      |
| 8       | 41792-0461   | A-41792-0461      | 26-60-5087   | A-41792-0473      |              |                   | 50-29-1910   | A-41792-0585      |
| 9       | 26-60-5096   | A-41792-0462      |              | A-41792-0474      |              | A-41792-0484      | 50-29-1911   | A-41792-0586      |
| 10      | 41792-0463   | A-41792-0463      |              | A-41792-0475      |              | A-41792-0485      | 50-29-1912   | A-41792-0587      |
| 11      | 41792-0464   | A-41792-0464      |              | A-41792-0476      |              | A-41792-0486      | 50-29-1913   | A-41792-0588      |
| 12      | 41792-0465   | A-41792-0465      |              | A-41792-0477      | 26-60-5128   | A-41792-0487      | 50-29-1914   | A-41792-0589      |
| 13      | 41792-0466   | A-41792-0466      |              | A-41792-0478      |              | A-41792-0488      | 50-29-1915   | A-41792-0590      |
| 14      | 41792-0467   | A-41792-0467      |              | A-41792-0479      |              | A-41792-0489      | 50-29-1916   | A-41792-0591      |
| 15      | 41792-0468   | A-41792-0468      |              | A-41792-0480      |              | A-41792-0490      | 50-29-1917   | A-41792-0592      |
| 16      | 41792-0469   | A-41792-0469      |              | A-41792-0481      |              | A-41792-0491      | 50-29-1918   | A-41792-0593      |
| 17      | 41792-0470   | A-41792-0470      |              | A-41792-0482      |              | A-41792-0492      | 50-29-1919   | A-41792-0594      |
| 18      | 41792-0471   | A-41792-0471      |              | A-41792-0483      |              | A-41792-0493      | 50-29-1920   | A-41792-0595      |

|                         |                              |  |                     |
|-------------------------|------------------------------|--|---------------------|
| REV:                    | <u>ECR/ECN INFORMATION:</u>  | <u>TITLE:</u>  | <u>SHEET No.</u>    |
| <b>H6</b>               | EC No.: <b>UCP2008-2821</b>  | <b>KK 156 HEADER ASSEMBLY<br/>FRICTION LOCK<br/>RIGHT ANGLE W/O PEGS</b> | <b>- 5 -</b>        |
|                         | DATE: <b>6/23/2008</b>       |  |                     |
| <u>DOCUMENT NUMBER:</u> | <u>CREATED / REVISED BY:</u> | <u>CHECKED BY:</u>   | <u>APPROVED BY:</u> |
| <b>SDA- 41792</b>       | <b>GAVERRILL</b>             | <b>MKIPPER</b>   | <b>FSMITH</b>       |

|         |              |                   |              |                   |              |                   |              |                 |
|---------|--------------|-------------------|--------------|-------------------|--------------|-------------------|--------------|-----------------|
| OPTIONS | Group        | A-41792-0596/0612 | Group        | A-41792-0613/0629 | Group        | A-41792-0484/0493 | Group        |                 |
|         | Header No:   | 41790-0007/0018   | Header No:   | 41790-0009/0018   | Header No:   | 41790-0009/0018   | Header No:   |                 |
|         | Pin No:      | 2161-37(154)      | Pin No:      | 2161-37(154)      | Pin No:      | 2161-37(154)      | Pin No:      |                 |
|         | Plating:     | 154 – TIN         | Plating:     | 154 – TIN         | Plating:     | 154 – TIN         | Plating:     |                 |
|         | Pin Length L | 27.94 / 1.100     | Pin Length L | 27.94 / 1.100     | Pin Length L | 27.94 / 1.100     | Pin Length L |                 |
|         | Mating M     | 11.43 / .450      | Mating M     | 11.43 / .450      | Mating M     | 11.43 / .450      | Mating M     |                 |
|         | Gold Loc G   | N/A               | Gold Loc G   | N/A               | Gold Loc G   | N/A               | Gold Loc G   |                 |
|         | Height Y     | 5.41 / .213       | Height Y     | 5.41 / .213       | Height Y     | 5.41 / .213       | Height Y     |                 |
|         | PC Tail P    | 3.96 / .156       | PC Tail P    | 3.96 / .156       | PC Tail P    | 3.96 / .156       | PC Tail P    |                 |
|         | Tin Loc T    | OVERALL           | Tin Loc T    | OVERALL           | Tin Loc T    | OVERALL           | Tin Loc T    |                 |
|         | Voided Ckts  | 2, 7              | Voided Ckts  | 2, 5, 9           | Voided Ckts  | 2, 5, 9           | Voided Ckts  |                 |
|         | Pack Per     | PK-41792-002      | Pack Per     | PK-41792-002      | Pack Per     | PK-41792-002      | Pack Per     |                 |
| Ckts    | Material No  | Engineer Number   | Material No  | Engineer Number   | Material No  | Engineer Number   | Material No  | Engineer Number |
| 2       |              |                   |              |                   |              |                   |              |                 |
| 3       |              |                   |              |                   |              |                   |              |                 |
| 4       |              |                   |              |                   |              |                   |              |                 |
| 5       |              |                   |              |                   |              |                   |              |                 |
| 6       |              |                   |              |                   |              |                   |              |                 |
| 7       | 50-29-1926   | A-41792-0601      |              |                   |              |                   |              |                 |
| 8       | 50-29-1927   | A-41792-0602      |              |                   |              |                   |              |                 |
| 9       | 50-29-1928   | A-41792-0603      | 50-29-1945   | A-41792-0620      |              | A-41792-0630      |              |                 |
| 10      | 50-29-1929   | A-41792-0604      | 50-29-1946   | A-41792-0621      |              | A-41792-0631      |              |                 |
| 11      | 50-29-1930   | A-41792-0605      | 50-29-1947   | A-41792-0622      |              | A-41792-0632      |              |                 |
| 12      | 50-29-1931   | A-41792-0606      | 50-29-1948   | A-41792-0623      | 41792-0633   | A-41792-0633      |              |                 |
| 13      | 50-29-1932   | A-41792-0607      | 50-29-1949   | A-41792-0624      |              | A-41792-0634      |              |                 |
| 14      | 50-29-1933   | A-41792-0608      | 50-29-1950   | A-41792-0625      |              | A-41792-0635      |              |                 |
| 15      | 50-29-1934   | A-41792-0609      | 50-29-1951   | A-41792-0626      |              | A-41792-0636      |              |                 |
| 16      | 50-29-1935   | A-41792-0610      | 50-29-1952   | A-41792-0627      |              | A-41792-0637      |              |                 |
| 17      | 50-29-1936   | A-41792-0611      | 50-29-1953   | A-41792-0628      |              | A-41792-0638      |              |                 |
| 18      | 50-29-1937   | A-41792-0612      | 50-29-1954   | A-41792-0629      |              | A-41792-0639      |              |                 |

|                         |                              |  |                     |
|-------------------------|------------------------------|--|---------------------|
| REV:                    | <u>ECR/ECN INFORMATION:</u>  | <u>TITLE:</u>  | <u>SHEET No.</u>    |
| <b>H6</b>               | EC No.: <b>UCP2008-2821</b>  | <b>KK 156 HEADER ASSEMBLY<br/>FRICTION LOCK<br/>RIGHT ANGLE W/O PEGS</b> | <b>- 6 -</b>        |
|                         | DATE: <b>6/23/2008</b>       |  |                     |
| <u>DOCUMENT NUMBER:</u> | <u>CREATED / REVISED BY:</u> | <u>CHECKED BY:</u>   | <u>APPROVED BY:</u> |
| <b>SDA- 41792</b>       | <b>GAVERRILL</b>             | <b>MKIPPER</b>   | <b>FSMITH</b>       |