




PRODUCT NUMBER
SEE TABLE














NOTES

- ①. MOLDING MAT'L: MODIFIED POLYPHENYLENE ETHER. COLOR: BLACK, MEETING UL 94V-0.
2. PIN LENGTH TO BE .210/5.33 MIN. RECOMMENDED PIN LENGTH IS .225±.015/5.72±0.38.
3. FOR TERMINAL APPLICATION SEE TA-531.
4. TERMINALS MUST BE CRIMPED PROPERLY FOR SATISFACTORY LATCHING. SEE TA-75 FOR CRIMPING INSTRUCTIONS. PRODUCT SPECIFICATION: BUS-12-067
5. THIS HOUSING IS INTENDED FOR USE WITH MINI PV™ TERMINAL WITH 22-36 GAUGE WIRE.
- ⑥. ALL MARKINGS EXCEPT LOGO USE 6 POINT TYPE (APPROX .06/1.52 HIGH) AND WHITE INK (MARKEM #8829 OR EQUIV.) WHEN MARKING CAVITIES. NUMERALS OR LETTERS ARE TO BE CENTERED ON RESPECTIVE CAVITIES, UNLESS OTHERWISE NOTED.
- ⑦. LOGO TO BE POSITIONED IN THIS AREA SO THAT IT IS READ FROM THE SAME EDGE OF THE CONNECTOR AS THE OTHER MARKINGS.
- ⑧. ALL MARKINGS FOR MILITARY PART NUMBERS ARE TO BE PER MIL-STD-1285 SEE TABULATION.
- ⑨. PLACE DESC P/N AND CAGE NO. ON PACKAGING LABEL. PRODUCT LENGTH IS TOO SMALL TO MARK PRINT.
10. PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
11. THE PRODUCT IS NOT INTENDED TO BE EXPOSED TO MANUFACTURING SOLDER PROCESS.
- ⑫. EUROPEAN CUSTOMERS SHOULD ORDER PART NUMBERS WITH AN 'E' SUFFIX AS SHOWN IN TABLE TO CONTINUE TO BE SUPPLIED BY THE EUROPEAN PLANT. SEE DRAWING 65043EUR.




| | | | | | | | | | | | | | |
|-------------|----------|-----|------------|---------------------------------------|-------------------|------------|-------------|------------|---------------------------|----------------|----|--------------------------|--|
| mat'l. code | | | | surface | | tolerance | | projection | | product family | | | |
| SEE NOTE 1 | | | | ASME Y14.5 | | ASME Y14.5 | | INCH/MM | | PV HOUSINGS | | | |
| ltr | ecn no | dr | date | tolerances unless otherwise specified | | | | INCH/MM | | title | | | |
| BF | V07-0483 | HTB | 2007-07-24 | angles | XX*01/XX*3 | | INCH/MM | | MINI LATCH HOUSING | | | | |
| BG | V08-0022 | HTB | 2008-01-15 | lines | XXX*005/XXX*13 | | scale 2.5:1 | | DOUBLE ROW .100 [2.54] CC | | | | |
| - | - | - | - | 0°±2' | XXXX*0020/XXX*051 | | | | dwg no | | | | |
| BB | V05-0712 | DAI | 2005-07-27 | dr | M. CLOUSER | 1990-01-31 | | FCI | | sheet 1 of 11 | | size | |
| BC | V06-0407 | HTB | 2006-04-27 | engr | C. TREXLER | 1990-01-31 | | | | 65043 | | A4 | |
| BD | V06-0549 | HTB | 2006-06-12 | chr | C. TREXLER | 1990-01-31 | | | | type | | Product Customer Drawing | |
| BE | V06-0886 | HTB | 2006-08-31 | appd | C. TREXLER | 1990-01-31 | | | | | | | |
| sheet | revision | BG | BG | BG | BG | BG | BG | BG | BG | BG | BG | | |
| index | sheet | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | |

| | | | |
|---|---|--|---|
| <p>PRODUCT NUMBER SEE TABLE</p> | <p>MARK POSITION NUMBERS AS SHOWN TO LENGTH OF PART.</p>  <p>SECOND POSITION</p> | <p>MARK TOP, CO. LOGO, CUST P/N REV LEVEL, DATE OF MFG, SECOND & NEXT TO LAST POS ON BOTH SIDES IN WHITE AS SHOWN.</p>  <p>COMPANY PART NO.</p> <p>CUST PART NO.</p> <p>NOTE 7</p> <p>DATE OF MFG</p> <p>REVISION LEVEL</p> | |
| <p>MARK POSITION ONE AND CUST. NAME AS SHOWN.</p>  <p>STYLE A</p> | <p>MARK POSITIONS AS SHOWN.</p>  <p>STYLE D</p> <p>STYLE E</p> | <p>MARK CUST P/N & FIRST & LAST POS (1 SIDE ONLY) AS SHOWN</p>  <p>STYLE H</p> | <p>MARK CAVITIES AS SHOWN.</p>  <p>MARK SECOND CAVITY AS SHOWN.</p>  <p>STYLE K</p> <p>STYLE L</p> |
| <p>MARK LOGO AND POSITIONS AS SHOWN</p>  <p>NOTE 7</p> <p>1.10 2.79</p> <p>SECOND POSITION</p> <p>.100 2.54</p> <p>.16 4.1</p> <p>1.90 4.83</p> <p>2.200 5.59 REF</p> <p>STYLE B</p> | <p>MARK CUSTOMERS P/N AND REVISION LEVEL IN AREA SHOWN.</p>  <p>STYLE F</p> | <p>MARK TOP, CO. LOGO, CUST P/N REV LEVEL, DATE OF MFG, SECOND & NEXT TO LAST POS ON BOTH SIDES IN WHITE AS SHOWN.</p>  <p>COMPANY PART NO.</p> <p>CUST PART NO.</p> <p>NOTE 7</p> <p>DATE OF MFG</p> <p>REVISION LEVEL</p> | |
| <p>MARK ARROW IN WHITE AS SHOWN ON SURFACE OPPOSITE GATE.</p>  <p>STYLE C</p> | | | |

| | | | | | |
|---------------------------|----------------|-----------------------|-------------------------|--|--|
| mat'l. code SEE NOTE 1 | | surface ASME Y14.5 | tolerance ASME Y14.5 | projection | product family PV HOUSINGS |
| ltr | ecn no | dr | date | tolerances unless otherwise specified | title MINI LATCH HOUSING DOUBLE ROW .100 [2.54] CC |
| BG | | | | angles XX*.01/XX*.3 XXX*.005/XXX*.13 | scale 1:1 |
| | | | | linear 0°±2' | XXXX*.0020/XXX*.051 |
| | | dr | M. CLOUSER | 1990-01-31 | dwg no |
| | | engr | C. TREXLER | 1990-01-31 | sheet 2 of 11 |
| | | chr | C. TREXLER | 1990-01-31 | size 65043 |
| | | appd | C. TREXLER | 1990-01-31 | A4 |
| sheet index | revision sheet | | | | type Product Customer Drawing |





| | | | |
|--|--|---|---|
| <p>PRODUCT NUMBER SEE TABLE</p> | <p>MARK CHARACTERS AS SHOWN IN WHITE.(ONE SIDE ONLY)</p> <p>STYLE Q</p> | <p>MARK CHARACTERS ONE SIDE ONLY.</p> <p>STYLE U</p> | |
| <p>MARK CO. LOGO, CUST P/N AND FIRST & LAST POS PLUS EVERY FOURTH POS IN WHITE AS SHOWN (ONE SIDE ONLY)</p> <p>NOTE: HOUSING WITH 16 POS OR LESS WILL NOT HAVE CO. LOGO INCLUDED.</p> <p>STYLE M</p> | <p>CO. LOGO AND P/N MARKED AS SHOWN. NO CO. P/N ON HOUSING LESS THAN 2 X 8.</p> <p>STYLE R</p> | <p>NUMBER EVERY OTHER POSITION AND SIDE A AND B AS SHOWN.</p> <p>STYLE V</p> | <p>MARK POSITION IDENTIFICATION AS SHOWN.</p> <p>STYLE Y</p> |
| <p>MARK CAV IDENTIFICATION APPROX AS SHOWN.(ONE SIDE ONLY)</p> <p>STYLE N</p> | <p>MARK CHARACTERS IN WHITE AS SHOWN.</p> <p>STYLE S</p> | <p>MARK POS 1 & 26 CO. LOGO & P/N AS SHOWN SEE NOTE 6.</p> <p>STYLE W</p> | <p>MARK POSITIONS 1, 2 AND 3 ONLY SEE NOTE 6</p> <p>STYLE Z</p> |
| <p>MARK CAVITY AS SHOWN WITH ARROW.</p> <p>STYLE O</p> | <p>MARK CHARACTERS IN WHITE AS SHOWN.</p> <p>STYLE T</p> | | |
| <p>MARK CHARACTERS AS SHOWN IN WHITE.(ONE SIDE ONLY)</p> <p>SECOND POSITION</p> <p>STYLE P</p> | | | |

| | | | | | |
|---------------------------|----------------|-----------------------|-------------------------|--|--|
| mat'l. code SEE NOTE 1 | | surface ASME Y14.5 | tolerance ASME Y14.5 | projection | product family PV HOUSINGS |
| ltr | ecn no | dr | date | tolerances unless otherwise specified | title MINI LATCH HOUSING DOUBLE ROW .100 [2.54] CC |
| BG | | | | angles XX+01/XX+3 XXX+005/XXX+13 | scale 1:1 |
| | | | | 0'±2' | sheet 3 of 11 |
| | | dr | M. CLOUSER | 1990-01-31 | size A4 |
| | | engr | C. TREXLER | 1990-01-31 | dwg no 65043 |
| | | chr | C. TREXLER | 1990-01-31 | type Product Customer Drawing |
| | | appd | C. TREXLER | 1990-01-31 | |
| sheet index | revision sheet | | | | |



| | | | | | |
|---------------------------|----------------|-----------------------|-------------------------|--|--|
| mat'l. code SEE NOTE 1 | | surface ASME Y14.5 | tolerance ASME Y14.5 | projection | product family PV HOUSINGS |
| ltr | ecn no | dr | date | tolerances unless otherwise specified | title MINI LATCH HOUSING DOUBLE ROW .100 [2.54] CC |
| BG | | | | angles XX*.01/X*.3 XXX*.005/XX*.13 | scale 1:1 |
| | | | | linear XXXX*.0020/XXX*.051 | dwg no 65043 |
| | | dr | M. CLOUSER | 1990-01-31 | sheet 4 of 11 |
| | | engr | C. TREXLER | 1990-01-31 | size A4 |
| | | chr | C. TREXLER | 1990-01-31 | type Product Customer Drawing |
| | | appd | C. TREXLER | 1990-01-31 | |
| sheet index | revision sheet | | | | |

PRODUCT NUMBER
SEE TABLE



| | | | | | | | | | |
|-------------|----------------|------------|------------|---------------------------------------|-------------------|------------|---------------|---------------------------|--------------------------|
| mat'l. code | | surface | | tolerance | | projection | | product family | |
| SEE NOTE 1 | | ASME Y14.5 | | ASME Y14.5 | | | | PV HOUSINGS | |
| ltr | ecn no | dr | date | tolerances unless otherwise specified | | INCH/MM | | title | |
| BG | | | | angles | .XX+01/XX+3 | 1:1 | | MINI LATCH HOUSING | |
| | | | | linear | XXX+005/XX+13 | scale | | DOUBLE ROW .100 [2.54] CC | |
| | | | | 0'±2' | XXXX+0020/XXX+051 | 1:1 | | dwg no | |
| | | dr | M. CLOUSER | 1990-01-31 | | | sheet 5 of 11 | | size |
| | | engr | C. TREXLER | 1990-01-31 | | | 65043 | | A4 |
| | | chr | C. TREXLER | 1990-01-31 | | | type | | Product Customer Drawing |
| | | appd | C. TREXLER | 1990-01-31 | | | | | |
| sheet index | revision sheet | | | | | | | | |



| PRODUCT NO. | NO OF POS | DIM K | EUROPEAN VERSION-NOTE 12 |
|-------------|-----------|-------------|--------------------------|
| 65043-001LF | 2 X 36 | 3.600/91.44 | 65043-001ELF |
| 65043-002LF | 2 X 35 | 3.500/88.90 | 65043-002ELF |
| 65043-003LF | 2 X 34 | 3.400/86.36 | 65043-003ELF |
| 65043-004LF | 2 X 33 | 3.300/83.82 | 65043-004ELF |
| 65043-005LF | 2 X 32 | 3.200/81.28 | 65043-005ELF |
| 65043-006LF | 2 X 31 | 3.100/78.74 | 65043-006ELF |
| 65043-007LF | 2 X 30 | 3.000/76.20 | 65043-007ELF |
| 65043-008LF | 2 X 29 | 2.900/73.66 | 65043-008ELF |
| 65043-009LF | 2 X 28 | 2.800/71.12 | 65043-009ELF |
| 65043-010LF | 2 X 27 | 2.700/68.58 | 65043-010ELF |
| 65043-011LF | 2 X 26 | 2.600/66.04 | 65043-011ELF |
| 65043-012LF | 2 X 25 | 2.500/63.50 | 65043-012ELF |
| 65043-013LF | 2 X 24 | 2.400/60.96 | 65043-013ELF |
| 65043-014LF | 2 X 23 | 2.300/58.24 | 65043-014ELF |
| 65043-015LF | 2 X 22 | 2.200/55.88 | 65043-015ELF |
| 65043-016LF | 2 X 21 | 2.100/53.34 | 65043-016ELF |
| 65043-017LF | 2 X 20 | 2.000/50.80 | 65043-017ELF |
| 65043-018LF | 2 X 19 | 1.900/48.26 | 65043-018ELF |
| 65043-019LF | 2 X 18 | 1.800/45.72 | 65043-019ELF |
| 65043-020LF | 2 X 17 | 1.700/43.18 | 65043-020ELF |
| 65043-021LF | 2 X 16 | 1.600/40.64 | 65043-021ELF |
| 65043-022LF | 2 X 15 | 1.500/38.10 | 65043-022ELF |
| 65043-023LF | 2 X 14 | 1.400/35.56 | 65043-023ELF |
| 65043-024LF | 2 X 13 | 1.300/33.02 | 65043-024ELF |
| 65043-025LF | 2 X 12 | 1.200/30.48 | 65043-025ELF |
| 65043-026LF | 2 X 11 | 1.100/27.94 | 65043-026ELF |
| 65043-027LF | 2 X 10 | 1.000/25.40 | 65043-027ELF |
| 65043-028LF | 2 X 9 | .900/22.86 | 65043-028ELF |
| 65043-029LF | 2 X 8 | .800/20.32 | 65043-029ELF |
| 65043-030LF | 2 X 7 | .700/17.78 | 65043-030ELF |
| 65043-031LF | 2 X 6 | .600/15.24 | 65043-031ELF |
| 65043-032LF | 2 X 5 | .500/12.70 | 65043-032ELF |
| 65043-033LF | 2 X 4 | .400/10.16 | 65043-033ELF |
| 65043-034LF | 2 X 3 | .300/7.62 | 65043-034ELF |
| 65043-035LF | 2 X 2 | .200/5.08 | 65043-035ELF |

| | | | | | | | | | |
|-------------|--------|----------------|------|---------------------------------------|-------------------|------------|--|-------------------------------|--|
| mat'l. code | | surface | | tolerance | | projection | | product family | |
| SEE NOTE 1 | | ASME Y14.5 | | ASME Y14.5 | | | | PV HOUSINGS | |
| ltr | ecn no | dr | date | tolerances unless otherwise specified | | INCH/MM | | title | |
| BG | | | | angles | linear | scale 1:1 | | MINI LATCH HOUSING | |
| | | | | 0°±2' | XXXX*0020/XXX*051 | | | DOUBLE ROW .100 [2.54] CC | |
| | | | | dr | M. CLOUSER | 1990-01-31 | | dwg no | |
| | | | | engr | C. TREXLER | 1990-01-31 | | sheet 6 of 11 | |
| | | | | chr | C. TREXLER | 1990-01-31 | | size | |
| | | | | appd | C. TREXLER | 1990-01-31 | | A4 | |
| sheet index | | revision sheet | | | | | | type Product Customer Drawing | |



| MILITARY PRODUCT NO. | MADE FROM | MARKING STYLE | DESC P/N | CAGE NO. | |
|----------------------|-----------|---------------|----------|----------|------------|
| 65043-001 -MIL | 65043-001 | AN | 86038-72 | 22526 | OBSOLETE |
| -002 | -002 | | 70 | | OBSOLETE |
| -003 | -003 | | 68 | | OBSOLETE |
| -004 | -004 | | 66 | | OBSOLETE |
| -005 | -005 | | 64 | | OBSOLETE |
| -006 | -006 | | 62 | | OBSOLETE |
| -007 | -007 | | 60 | | OBSOLETE |
| -008 | -008 | | 58 | | OBSOLETE |
| -009 | -009 | | 56 | | OBSOLETE |
| -010 | -010 | | 54 | | OBSOLETE |
| -011 | -011 | | 52 | | OBSOLETE |
| -012 | -012 | | 50 | | OBSOLETE |
| -013 | -013 | | 48 | | OBSOLETE |
| -014 | -014 | | 46 | | OBSOLETE |
| -015 | -015 | | 44 | | OBSOLETE |
| -016 | -016 | | 42 | | OBSOLETE |
| -017 | -017 | | 40 | | OBSOLETE |
| -018 | -018 | | 38 | | OBSOLETE |
| -019 | -019 | | 36 | | OBSOLETE |
| -020 | -020 | | 34 | | OBSOLETE |
| -021 | -021 | | 32 | | OBSOLETE |
| -022 | -022 | | 30 | | OBSOLETE |
| -023 | -023 | | 28 | | OBSOLETE |
| -024 | -024 | | 26 | | OBSOLETE |
| -025 | -025 | | 24 | | OBSOLETE |
| -026 | -026 | | 22 | | OBSOLETE |
| -027 | -027 | | 20 | | OBSOLETE |
| -028 | -028 | | 18 | | OBSOLETE |
| -029 | -029 | | 16 | | OBSOLETE |
| -030 | -030 | | 14 | | OBSOLETE |
| -031 | -031 | | 12 | | OBSOLETE |
| -032 | -032 | | 10 | | OBSOLETE |
| -033 | -033 | | 08 | | OBSOLETE |
| -034 | -034 | | 06 | | OBSOLETE |
| 65043-035 -MIL | 65043-035 | AN | 86038-04 | 22526 | SEE NOTE 9 |

SEE NOTE 9

| | | | | | | | | | |
|-------------|--------|----------------|------|---------------------------------------|------------|-------------------|--|-------------------------------|--|
| mat'l. code | | surface | | tolerance | | projection | | product family | |
| SEE NOTE 1 | | ASME Y14.5 | | ASME Y14.5 | | | | PV HOUSINGS | |
| ltr | ecn no | dr | date | tolerances unless otherwise specified | | INCH/MM | | title | |
| BG | | | | angles | linear | 0'±2' | | MINI LATCH HOUSING | |
| | | | | | | XXXX+0020/XXX+051 | | DOUBLE ROW .100 [2.54] CC | |
| | | | | dr | M. CLOUSER | 1990-01-31 | | scale 1:1 | |
| | | | | engr | C. TREXLER | 1990-01-31 | | dwg no | |
| | | | | chr | C. TREXLER | 1990-01-31 | | sheet 7 of 11 | |
| | | | | appd | C. TREXLER | 1990-01-31 | | size | |
| sheet index | | revision sheet | | | | | | 65043 | |
| | | | | | | | | A4 | |
| | | | | | | | | Type Product Customer Drawing | |



| PRODUCT NO. | NO OF POS | DIM K | MARKINGS STYLE | CUSTOMER RESTRICTED |
|-------------|-----------|-------------|----------------|---------------------|
| 65043-037LF | 2 X 13 | 1.300/33.02 | A | * |
| 65043-038LF | 2 X 22 | 2.200/55.88 | B | |
| 65043-039LF | 2 X 12 | 1.200/30.48 | C | |
| 65043-040LF | 2 X 16 | 1.600/40.64 | C | |
| 65043-041LF | 2 X 20 | 2.000/50.80 | C | |
| 65043-042LF | 2 X 24 | 2.400/60.96 | C | |
| 65043-043LF | 2 X 4 | .400/10.16 | C | |
| 65043-044LF | 2 X 8 | .800/20.32 | C | |
| 65043-045LF | 2 X 30 | 3.000/76.20 | D | |
| 65043-046LF | 2 X 10 | 1.000/25.40 | E | |
| 65043-047LF | 2 X 13 | 1.300/33.02 | E | |
| 65043-048LF | 2 X 20 | 2.000/50.80 | F | * |
| 65043-049LF | 2 X 10 | 1.000/25.40 | F | * |
| 65043-050LF | 2 X 15 | 1.500/38.10 | C | |
| 65043-051LF | 2 X 2 | .200/5.08 | C | * |
| 65043-052LF | 2 X 13 | 1.300/33.02 | K | * |
| 65043-053LF | 2 X 3 | .300/7.62 | L | * |
| 65043-054LF | 2 X 15 | 1.500/38.10 | J | * |
| 65043-055LF | 2 X 22 | 2.200/55.88 | G | * |
| 65043-056LF | 2 X 20 | 2.000/50.80 | H | * |
| 65043-057LF | 2 X 20 | 2.000/50.80 | E | |
| 65043-058LF | 2 X 5 | .500/12.70 | M | * |
| 65043-059LF | 2 X 6 | .600/15.24 | M | * |
| 65043-060LF | 2 X 10 | 1.000/25.40 | M | * |
| 65043-061LF | 2 X 13 | 1.300/33.02 | M | * |
| 65043-062LF | 2 X 16 | 1.600/40.64 | M | * |
| 65043-063LF | 2 X 17 | 1.700/43.18 | M | * |
| 65043-064LF | 2 X 20 | 2.000/50.80 | M | * |
| 65043-065LF | 2 X 4 | .400/10.16 | N | |
| 65043-066LF | 2 X 14 | 1.400/35.56 | E | |
| 65043-067LF | 2 X 13 | 1.300/33.02 | G | * |
| 65043-068LF | 2 X 17 | 1.700/43.18 | G | * |
| 65043-069LF | 2 X 20 | 2.000/50.80 | G | * |
| 65043-070LF | 2 X 12 | 1.200/30.48 | O | |
| 65043-071LF | 2 X 19 | 1.900/48.26 | O | |

| | | | | | | | | | |
|-------------|----------------|------------|------------|---------------------------------------|-------------------|------------|--------|---------------------------|--------------------------|
| mat'l. code | | surface | | tolerance | | projection | | product family | |
| SEE NOTE 1 | | ASME Y14.5 | | ASME Y14.5 | | | | PV HOUSINGS | |
| ltr | ecn no | dr | date | tolerances unless otherwise specified | | | | title | |
| BG | | | | angles | linear | | | MINI LATCH HOUSING | |
| | | | | 0°±2' | XXXX*0020/XXX*051 | | | DOUBLE ROW .100 [2.54] CC | |
| | | dr | M. CLOUSER | 1990-01-31 | | | dwg no | | sheet 8 of 11 |
| | | engr | C. TREXLER | 1990-01-31 | | | 65043 | | A4 |
| | | chr | C. TREXLER | 1990-01-31 | | | type | | Product Customer Drawing |
| | | appd | C. TREXLER | 1990-01-31 | | | | | |
| sheet index | revision sheet | | | | | | | | |



| PRODUCT NO. | NO OF POS | DIM K | SPECIAL MARKINGS STYLE | CUSTOMER RESTRICTED |
|-------------|-----------|-------------|------------------------|---------------------|
| 65043-072LF | 2 X 22 | 2.200/55.88 | O | |
| 65043-073LF | 2 X 27 | 2.700/68.58 | P | |
| 65043-074LF | 2 X 10 | 1.000/25.40 | Q | |
| 65043-075LF | 2 X 10 | 1.000/25.40 | O | |
| 65043-076LF | 2 X 10 | 1.000/25.40 | M | |
| 65043-077LF | 2 X 22 | 2.200/55.88 | R | |
| 65043-078LF | 2 X 20 | 2.000/50.80 | R | |
| 65043-079LF | 2 X 6 | .600/15.24 | R | |
| 65043-080LF | 2 X 8 | .800/20.32 | R | |
| 65043-081LF | 2 X 7 | .700/17.78 | R | |
| 65043-082LF | 2 X 11 | 1.100/27.94 | R | |
| 65043-083LF | 2 X 12 | 1.200/30.48 | R | |
| 65043-084LF | 2 X 20 | 2.000/50.80 | O | |
| 65043-085LF | 2 X 10 | 1.000/25.40 | R | |
| 65043-086LF | 2 X 19 | 1.900/48.26 | C | |
| 65043-087LF | 2 X 10 | 1.000/25.40 | C | |
| 65043-088LF | 2 X 5 | .500/12.70 | C | |
| 65043-089LF | 2 X 3 | .300/7.62 | N | |
| 65043-090LF | 2 X 9 | .900/22.86 | O | |
| 65043-091LF | 2 X 13 | 1.300/33.02 | O | |
| 65043-092LF | 2 X 13 | 1.300/33.02 | S | |
| 65043-093LF | 2 X 3 | .300/7.62 | T | |
| 65043-094LF | 2 X 11 | 1.100/27.94 | U | |
| 65043-095LF | 2 X 13 | 1.300/33.02 | V | |
| 65043-096LF | 2 X 13 | 1.300/33.02 | W | |
| 65043-097LF | 2 X 13 | 1.300/33.02 | M | |
| 65043-098LF | 2 X 25 | 2.500/63.50 | M | * |
| 65043-099LF | 2 X 4 | .400/10.16 | O | |
| 65043-100LF | 2 X 13 | 1.300/33.02 | Y | |
| 65043-101LF | 2 X 7 | .700/17.78 | Z | |
| 65043-102LF | 2 X 22 | 2.200/55.88 | Z | |
| 65043-103LF | 2 X 26 | 2.600/66.04 | Z | |
| 65043-104LF | 2 X 32 | 3.200/81.28 | Z | |
| 65043-105LF | 2 X 10 | 1.000/25.40 | Z | |
| 65043-106LF | 2 X 8 | .800/20.32 | Z | |

| | | | | | | | | | |
|-------------|----------------|------------|------------|---------------------------------------|-------------------|------------|--|-------------------------------|--|
| mat'l. code | | surface | | tolerance | | projection | | product family | |
| SEE NOTE 1 | | ASME Y14.5 | | ASME Y14.5 | | | | PV HOUSINGS | |
| ltr | ecn no | dr | date | tolerances unless otherwise specified | | | | title | |
| BG | | | | angles | linear | INCH/MM | | MINI LATCH HOUSING | |
| | | | | 0°±2' | XXXX+0020/XXX+051 | scale 1:1 | | DOUBLE ROW .100 [2.54] CC | |
| | | dr | M. CLOUSER | 1990-01-31 | | | | dwg no sheet 9 of 11 size | |
| | | engr | C. TREXLER | 1990-01-31 | | | | 65043 A4 | |
| | | chr | C. TREXLER | 1990-01-31 | | | | type Product Customer Drawing | |
| | | appd | C. TREXLER | 1990-01-31 | | | | | |
| sheet index | revision sheet | | | | | | | | |



| PRODUCT NO | NO OF POS | DIM K | MARKINGS STYLE | CUSTOMER RESTRICTED |
|-------------|-----------|-------------|----------------|---------------------|
| 65043-107LF | 2 X 5 | .500/12.70 | Z | |
| 65043-108LF | 2 X 15 | 1.500/38.10 | Z | |
| 65043-109LF | 2 X 30 | 3.000/76.20 | Z | |
| 65043-110LF | 2 X 13 | 1.300/33.02 | Z | |
| 65043-111LF | 2 X 2 | .200/5.08 | AA | |
| 65043-112LF | 2 X 5 | .500/12.70 | AA | |
| 65043-113LF | 2 X 6 | .600/15.24 | AA | |
| 65043-114LF | 2 X 7 | .700/17.78 | AA | |
| 65043-115LF | 2 X 8 | .800/20.32 | AA | |
| 65043-116LF | 2 X 7 | .700/17.78 | AB | * |
| 65043-117LF | 2 X 7 | .700/17.78 | O | |
| 65043-118LF | 2 X 13 | 1.300/33.02 | C | |
| 65043-119LF | 2 X 13 | 1.300/33.02 | AC | |
| 65043-120LF | 2 X 2 | .200/5.08 | Z | |
| 65043-121LF | 2 X 4 | .400/10.16 | Z | |
| 65043-122LF | 2 X 17 | 1.700/43.18 | Z | |
| 65043-123LF | 2 X 20 | 2.000/50.80 | Z | |
| 65043-124LF | 2 X 8 | .800/20.32 | O | |
| 65043-125LF | 2 X 15 | 1.500/38.10 | D | |
| 65043-126LF | 2 X 30 | 3.000/76.20 | Y | |
| 65043-127LF | 2 X 15 | 1.500/38.10 | AD | |
| 65043-128LF | 2 X 32 | 3.200/81.28 | AD | |
| 65043-129LF | 2 X 15 | 1.500/38.10 | AE | |
| 65043-130LF | 2 X 32 | 3.200/81.28 | AE | |
| 65043-131LF | 2 X 22 | 2.200/55.88 | AF | |
| 65043-132LF | 2 X 7 | .700/17.78 | AF | |
| 65043-133LF | 2 X 19 | 1.900/48.26 | AF | |
| 65043-134LF | 2 X 12 | 1.200/30.48 | AF | |
| 65043-135LF | 2 X 15 | 1.500/38.10 | M | |
| 65043-136LF | 2 X 12 | 1.200/30.48 | Z | |
| 65043-137LF | 2 X 18 | 1.800/45.72 | Z | |
| 65043-138LF | 2 X 25 | 2.500/63.50 | Z | |
| 65043-139LF | 2 X 36 | 3.600/91.44 | Z | |
| 65043-140LF | 2 X 15 | 1.500/38.10 | AG | |
| 65043-141LF | 2 X 7 | .700/17.78 | AG | |

| | | | | | | | | | |
|-------------|----------------|------------|------------|---------------------------------------|-------------------|------------|--|-------------------------------|----------------|
| mat'l. code | | surface | | tolerance | | projection | | product family | |
| SEE NOTE 1 | | ASME Y14.5 | | ASME Y14.5 | | | | PV HOUSINGS | |
| ltr | ecn no | dr | date | tolerances unless otherwise specified | | | | title | |
| BG | | | | angles | linear | INCH/MM | | MINI LATCH HOUSING | |
| | | | | 0°±2' | XXXX*0020/XXX*051 | scale 1:1 | | DOUBLE ROW .100 [2.54] CC | |
| | | dr | M. CLOUSER | 1990-01-31 | | | | dwg no | sheet 10 of 11 |
| | | engr | C. TREXLER | 1990-01-31 | | | | 65043 | size A4 |
| | | chr | C. TREXLER | 1990-01-31 | | | | | |
| | | appd | C. TREXLER | 1990-01-31 | | | | | |
| sheet index | revision sheet | | | | | | | type Product Customer Drawing | |



| PRODUCT NO | NO OF POS | DIM K | SPECIAL MARKINGS STYLE | CUSTOMER RESTRICTED |
|-------------|-------------|-------------|------------------------|---------------------|
| 65043-142LF | 2 X 7 | .700/17.78 | D | |
| 65043-143LF | 2 X 3 | .300/7.62 | Y | |
| 65043-144LF | 2 X 5 | .500/12.70 | Y | |
| 65043-145LF | 2 X 10 | 1.000/25.40 | Y | |
| 65043-146LF | 2 X 12 | 1.200/30.48 | Y | |
| 65043-147LF | 2 X 13 | 1.300/33.02 | Y | |
| 65043-148LF | 2 X 15 | 1.500/38.10 | Y | |
| 65043-149LF | 2 X 17 | 1.700/43.18 | Y | |
| 65043-150LF | 2 X 18 | 1.800/45.72 | Y | |
| 65043-151LF | 2 X 20 | 2.000/50.80 | Y | |
| 65043-152LF | 2 X 25 | 2.500/63.50 | Y | |
| 65043-153LF | 2 X 35 | 3.500/88.90 | Y | |
| 65043-154LF | 2 X 36 | 3.600/91.44 | Y | |
| 65043-155LF | 2 X 30 | 3.000/76.20 | E | |
| 65043-156LF | 2 X 13 | 1.300/33.02 | AH | |
| 65043-157LF | 2 X 14 | 1.400/35.56 | AJ | |
| 65043-158LF | 2 X 12 | 1.200/30.48 | AK | |
| 65043-159LF | 2 X 27 | 2.700/68.58 | D | |
| 65043-160LF | 2 X 12 | 1.200/30.48 | E | |
| 65043-161LF | 2 X 24 | 2.400/60.96 | E | |
| 65043-162LF | 2 X 12 | 1.200/30.48 | D | |
| 65043-163LF | 2 X 4 | .400/10.16 | AG | |
| 65043-164LF | 2 X 23 | 2.300/58.42 | AJ | |
| 65043-165LF | 2 X 7 | .700/17.78 | AJ | |
| 65043-166LF | UNAVAILABLE | | | |
| 65043-167LF | UNAVAILABLE | | | |
| 65043-168LF | UNAVAILABLE | | | |
| 65043-169LF | UNAVAILABLE | | | |
| 65043-170LF | UNAVAILABLE | | | |
| 65043-171LF | 2 X 9 | .900/22.86 | AP | |
| 65043-172LF | 2 X 9 | .900/22.86 | AR | |

| | | | | | | | | | |
|-------------|----------------|------------|------|---------------------------------------|-------------------|------------|--|-------------------------------|--|
| mat'l. code | | surface | | tolerance | | projection | | product family | |
| SEE NOTE 1 | | ASME Y14.5 | | ASME Y14.5 | | | | PV HOUSINGS | |
| ltr | ecn no | dr | date | tolerances unless otherwise specified | | INCH/MM | | title | |
| BG | | | | angles | XX*01/X*3 | | | MINI LATCH HOUSING | |
| | | | | | XXX*005/XX*13 | | | DOUBLE ROW .100 [2.54] CC | |
| | | | | 0'±2' | XXXX*0020/XXX*051 | scale 1:1 | | dwg no | |
| | | | | dr | M. CLOUSER | 1990-01-31 | | sheet 11 of 11 | |
| | | | | engr | C. TREXLER | 1990-01-31 | | size | |
| | | | | chr | C. TREXLER | 1990-01-31 | | A4 | |
| | | | | appd | C. TREXLER | 1990-01-31 | | Type Product Customer Drawing | |
| sheet index | revision sheet | | | | | | | | |