


PART NO.	ENG. NO.	CIRCUIT SIZE	MATERIAL (SEE NOTE 1)	DIM. "A"	DIM. "B"	DIM. "C"
050-84-1010	42021-1A	1	A	1,080 (27.43)	.290 (7.37)	---
050-84-1011	42021-1B	1	B			
050-84-1015	42021-1C	1	C			
366430001	36643-001	1	D			
050-84-1020	42021-2A	2	A			
050-84-1021	42021-2B	2	B	1,080 (27.43)	.580 (14.73)	.300 (7.62)
050-84-1025	42021-2C	2	C			
366430002	36643-002	2	D			
050-84-1030	42021-3A	3	A			
050-84-1031	42021-3B	3	B	1,080 (27.43)	.580 (14.73)	.300 (7.62)
050-84-1035	42021-3C	3	C			
366430003	36643-003	3	D			
050-84-1040	42021-4A	4	A			
050-84-1041	42021-4B	4	B	1,080 (27.43)	.580 (14.73)	.300 (7.62)
050-84-1045	42021-4C	4	C			
366430004	36643-004	4	D			
050-84-1060	42021-6A	6	A			
050-84-1061	42021-6B	6	B	1,080 (27.43)	1,080 (27.43)	.800 (20.32)
050-84-1065	42021-6C	6	C			
366430005	36643-005	6	D			
PRELIMINARY	42021-8A	8	A			
PRELIMINARY	42021-8B	8	B	1,080 (27.43)	.580 (14.73)	.300 (7.62)
PRELIMINARY	42021-8C	8	C			
050-84-1090	42021-9A	9	A			
050-84-1091	42021-9B	9	B	1,080 (27.43)	1,080 (27.43)	.800 (20.32)
050-84-1095	42021-9C	9	C			
366430006	36643-006	9	D			
050-84-1120	42021-12A	12	A			
050-84-1121	42021-12B	12	B	1,080 (27.43)	1,080 (27.43)	.800 (20.32)
050-84-1125	42021-12C	12	C			
366430007	36643-007	12	D			
050-84-1150	42021-15A	15	A			
050-84-1151	42021-15B	15	B	1,080 (27.43)	1,080 (27.43)	.800 (20.32)
050-84-1155	42021-15C	15	C			
366430008	36643-008	15	D			

NOTES:

- MATERIAL CODES:
 "A"= NYLON TYPE 6/6, 94V-2
 COLOR: NATURAL (WHITE/TRANSLUCENT)
 "B"= NYLON TYPE 6/6, 94V-0
 COLOR: (BRICK RED)
 "C"= NYLON TYPE 6/6, 94V-0
 COLOR: NATURAL (WHITE)
 D= NYLON 94V-2
 COLOUR:NATURAL,899921279
 GLOW WIRE COMPATIBLE WITH CTI OF 325 VOLTS,
 ACCORDING TO IEC 60335-4TH EDITION
- UNLESS OTHERWISE INDICATED, DIMENSIONS ARE FOR REFERENCE ONLY.
- PLUG HOUSINGS MATE WITH :
 - CAP HOUSINGS, .084/(2.13) DIA. SERIES: (42022-**)

- HEADER ASSEMBLY HOUSINGS,
 .084/(2.13) DIA. SERIES: (A-42002-****)
- HOUSINGS DESIGNED TO BE USED WITH TERMINALS :
 - PINS, .084/(2.13) DIA. SERIES: (42023-****)
 - SOCKETS, .084/(2.13) DIA. SERIES: (42024-****)
- CONTACTS ARE ON .250/(6.35) GRID CENTERLINE SPACING.
- PRODUCT SPECIFICATION PS-42022-0001 APPLIES.

LEGEND:



7) LEGEND SCHEME IS NOT APPLICABLE FOR GLOW WIRE COMPATIBLE PART NUMBERS

ENTER DESCRIPTION EC NO: 12008-0611 2008/05/14 DRWINGJ CHYK-KPRASAD 2008/05/16 APPR:KPRASAD 2008/06/02	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 1.5:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		
		mm	INCH	DRAWN BY	DATE	TITLE HOUSING, PLUG .084/(2.13) DIA. SERIES				
		4 PLACES ± ---	± ---	RK	87/11/16					
		3 PLACES ± ---	± .010	CHECKED BY	DATE	MOLEX INCORPORATED				
2 PLACES ± 0.25	± 0.14	GWFF	87/11/16							
1 PLACE ± 0.36	± ---	APPROVED BY	DATE	SEE TABLE		MATERIAL NO. DOCUMENT NO.		SHEET NO.		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A2		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						