




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD		
E		REV PER 0G3C-0528-04	20DEC04	JR	JO		



RECOMMENDED PC BOARD LAYOUT

- 1 HOUSING: GLASS FILLED POLYESTER, PCT, COLOR: BLACK
- 2 CONTACT: PHOSPHOR BRONZE
- 3 CONTACT: DUPLEX PLATING 0.00025[.000010] GOLD IN CONTACT AREA, 0.00381-0.00762[.000150-.000300] TIN-LEAD ON SOLDER LEADS ALL OVER 0.00127-0.00254[.000050-.000100] NICKEL.
- 4 MOLDED IN ARROW DESIGNATES MATING FACE OF CONNECTOR.
- 5 DIMENSIONS PERTAINS TO CAVITY CENTERLINES.
- 6 DATUMS AND BASIC DIMENSIONS ARE ESTABLISHED BY THE CUSTOMER.
- 7 OBSOLETE PART
- 8 NO PART NUMBER MARKING REQUIRED FOR THIS PART.

165.10[6.500]	130	6-147734-4
162.56[6.400]	128	6-147734-3
160.02[6.300]	126	6-147734-2
157.48[6.200]	124	6-147734-1
152.94[6.100]	122	6-147734-0
152.40[6.000]	120	5-147734-9
149.86[5.900]	118	5-147734-8
147.32[5.800]	116	5-147734-7
144.78[5.700]	114	5-147734-6
142.24[5.600]	112	5-147734-5
139.70[5.500]	110	5-147734-4
137.16[5.400]	108	5-147734-3
134.62[5.300]	106	5-147734-2
132.08[5.200]	104	5-147734-1
129.54[5.100]	102	5-147734-0
127.00[5.000]	100	4-147734-9
124.46[4.900]	98	4-147734-8
121.92[4.800]	96	4-147734-7
119.38[4.700]	94	4-147734-6
116.84[4.600]	92	4-147734-5
114.30[4.500]	90	4-147734-4
111.76[4.400]	88	4-147734-3
109.22[4.300]	86	4-147734-2
106.68[4.200]	84	4-147734-1
104.14[4.100]	82	4-147734-0

101.60[4.000]	80	3-147734-9
99.06[3.900]	78	3-147734-8
96.52[3.800]	76	3-147734-7
93.98[3.700]	74	3-147734-6
91.44[3.600]	72	3-147734-5
88.90[3.500]	70	3-147734-4
86.36[3.400]	68	3-147734-3
83.82[3.300]	66	3-147734-2
81.28[3.200]	64	3-147734-1
78.74[3.100]	62	3-147734-0
76.20[3.000]	60	2-147734-9
73.66[2.900]	58	2-147734-8
71.12[2.800]	56	2-147734-7
68.58[2.700]	54	2-147734-6
66.04[2.600]	52	2-147734-5
63.50[2.500]	50	2-147734-4
60.96[2.400]	48	2-147734-3
58.42[2.300]	46	2-147734-2
55.88[2.200]	44	2-147734-1
53.34[2.100]	42	2-147734-0
50.80[2.000]	40	1-147734-9
48.26[1.900]	38	1-147734-8
45.72[1.800]	36	1-147734-7
43.18[1.700]	34	1-147734-6
40.64[1.600]	32	1-147734-5
38.10[1.500]	30	1-147734-4
35.56[1.400]	28	1-147734-3
33.02[1.300]	26	1-147734-2
30.48[1.200]	24	1-147734-1
27.94[1.100]	22	1-147734-0
25.40[1.000]	20	147734-9
22.86[.900]	18	147734-8
20.32[.800]	16	147734-7
17.78[.700]	14	147734-6
15.24[.600]	12	147734-5
12.70[.500]	10	147734-4
10.16[.400]	8	147734-3
7.62[.300]	6	147734-2
5.08[.200]	4	147734-1

A	NO OF POSN	PART NUMBER	A	NO OF POSN	PART NUMBER
---	------------	-------------	---	------------	-------------

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN	M.BINNER	25OCT01	 Tyco Electronics Corporation Harrisburg, PA 17105
CHK	J. OLSON	25FEB02	
APVD	J. OLSON	25FEB02	
PRODUCT SPEC	J. OLSON	25FEB02	
APPLICATION SPEC			NAME
			AMPMODU MODII RCPT ASSY, HORIZ, SURFACE MOUNT .100CL, 2 ROW, CLSD-ENTRY, END TO END STACKED
			SIZE
			CAGE CODE
			DRAWING NO
			RESTRICTED TO
			WEIGHT
			SCALE
			SHEET
			OF
			REV

CUSTOMER DRAWING