



PRODUCT NUMBER  
SEE TABLE



ARROW INDICATES PIN  
INSERTION SIDE



mat'l. code		surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection ⊕		product family CARD CONN	
ltr		ecn no		date		tolerances unless otherwise specified		title	
N	V70468	MDF	7/21/97	angles	linear	.XX±.01/.X±.3	INCH/MM	30μ"/0.76μ 1X.100	
P	V71215	SAR	9/23/97	0'±2'		.XXX±.0.005/.XX±.13	scale 4:1	SMT CARD CONNECTOR	
R	V82177	EPK	12/21/98			.XXXX±.0020/.XXX±.051		dwg no sheet 1 of 7 size	
S	V02386	AZ	10/06/00	dr	J.SHREINER	11/21/91		67898 A3	
T	V20148	GIP	02/01/02	enr	M.HAHN	11/21/91		type Product Customer Drawing	
U	M05-0199	ERE	09/15/05	chr	M.HAHN	11/21/91			
V	M06-0210	MHT	6/03/06	appd	M.HAHN	11/21/91			
sheet index	revision	V	V	V	V	V	V	V	V
	sheet	1	2	3	4	5	6	7	



Copyright FCI

PRODUCT NO.  
SEE TABLE




FIGURE 1  
SCALE: 5:1  
RECOMMENDED PCB FOOTPRINT  
SEE NOTE 4

NOTES

- ① HOUSING MATERIAL:  
FILLED HIGH TEMPERATURE NYLON  
COLOR: BLACK.
- ② TERMINAL MATERIAL:  
BODY: BRASS, .010/.25 THICK.  
SPRING: BE-CU, HEAT TREATED.  
BODY PLATING:  
30 MICROINCH/.76 MICRON GOLD  
OVER 50 MICROINCH /1.27 MICRON NICKEL  
IN CONTACT AREA  
SOLDERTAIL: GOLD FLASH  
SPRING PLATING: GOLD FLASH
3. MARKING:  
FCI PART NUMBER AND DATE CODE LEGIBLE  
ON TUBE LABEL.
- ④ APPLICATION INFORMATION:  
A. RECOMMENDED MOUNTING PAD  
PATTERN IS SHOWN IN FIGURE "1".  
B. ALL MATING PINS TO BE  
.025/.64 SQUARE ON TRUE  
CENTER OF GIVEN TERMINAL  
SPACINGS WITHIN .015/.38 DIA.  
C. SUGGESTED MATING PIN LENGTH  
.350±.020/8.89±.51.

- ⑤ SPECIAL SPRING .0048/.121.
- ⑥ TERMINAL MATERIAL:  
BODY: BRASS, .010/.25 THICK.  
SPRING: BE-CU, HEAT TREATED.  
BODY PLATING:  
30 MICROINCH/.76 MICRON GOLD  
OVER 50 MICROINCH /1.27 MICRON  
NICKEL IN CONTACT AREA.  
SOLDERTAILS: 100u"/2.54u TIN OVER .050u"/1'.27u NICKEL.  
SPRING PLATING: GOLD FLASH.  
  
LF SOLDER TAIL:  
100u"/2.54u Sn OVER 50u"/1.27u Ni
- ⑦ HOUSING MATERIAL:  
FILLED HIGH TEMPERATURE NYLON - COLOR, BLACK.
- ⑧ MATERIAL SAME AS NOTE 6 EXCEPT COMPOSITION OF TIN LEAD  
IS 60/40 ON SOLDERTAIL.
- ⑨ PART NUMBER WITH SUFFIX "P" ON DASH NUMBER IS TAPE  
AND REEL PACKAGED.
10. TAPE AND REEL PACKAGE PER GES-14-334.
11. TAPE AND REEL PACKAGING FOR 24mm WIDE AND BELOW HAVE  
PILOT HOLES ON ONE SIDE OF TAPE ONLY. SIZES ABOVE 24mm  
HAVE PILOT HOLE ON BOTH SIDES OF TAPE.
12. MAXIMUM LENGTH OF CONNECTOR FOR TAPE AND REEL  
PACKAGING IS 2.50 INCHES LONG.
- ⑬ TAPE AND REEL PACKAGING 24mm TAPE WIDTH, WITH 16mm  
POCKET PITCH.
- ⑭ ADD "LF" SUFFIX AT THE END OF PART NUMBER  
FOR LEAD FREE OPTION.
- ⑮ THESE PRODUCT MEET EUROPEAN UNION DIRECTIVES  
AND OTHER COUNTRY REGULATIONS AS DESCRIBED  
IN GS-22-008.
16. THIS PART WILL WITHSTAND EXPOSURE TO 260°C PEAK  
TEMPERATURE FOR 20 SECONDS IN WAVE SOLDER,  
INFRA-RED OR VAPOR PHASE SOLDER PROCESS.
- ⑰ "THIS PRODUCT HAS 100% TIN PLATING IN THE INTERFACE  
AND HAS NOT BEEN TESTED FOR WHISKER GROWTH IN  
ALL INTERCONNECT ENVIRONMENTS."

FCI  
FCIconnect.com  
Copyright FCI

mat'l. code		surface ISO 1302 ✓	tolerance ISO 406 ISO 1101	projection ⊕	product family CARD CONN
ltr	ecn	no	dr	date	tolerances unless otherwise specified
v					angles linear .XX±.01/.X±.3
					0°±2' .XXX±.0.005/.XX±.13
					.XXXX±.0020/.XXX±.051
			dr	J.SHREINER	11/21/91
			enr	M.HAHN	11/21/91
			chr	M.HAHN	11/21/91
			appd	M.HAHN	11/21/91
sheet index	revision sheet				

title		30μ"/0.76μ 1X.100	
SMT CARD CONNECTOR		scale 4:1	
dwg no	67898	sheet 2 of 7	size A3
type	Product Customer Drawing		

PRODUCT NUMBER	NO. OF POS.	DIM A	DIM B	MATERIAL	TAPE & REEL PACKAGING	LEAD FREE OPTION
67898-001		UNAVAILABLE				
-002	1X2	.100/2.54	.240/6.10	NOTE 1 & 2	NO	NOTE 14, 15
-003	1X3	.200/5.08	.340/8.64	NOTE 1 & 2	NO	
-004	1X4	.300/7.62	.440/11.18	NOTE 1 & 2	NO	
-005	1X5	.400/10.16	.540/13.72	NOTE 1 & 2	NO	
-006	1X6	.500/12.70	.640/16.26	NOTE 1 & 2	NO	
-006P	1X6	.500/12.70	.640/16.26	NOTE 1 & 2	YES	
-007	1X7	.600/15.24	.740/18.80	NOTE 1 & 2	NO	
-008	1X8	.700/17.78	.840/21.34	NOTE 1 & 2	NO	
-009	1X9	.800/20.32	.940/23.88	NOTE 1 & 2	NO	
-010	1X10	.900/22.86	1.040/26.42	NOTE 1 & 2	NO	
-011	1X11	1.000/25.40	1.140/28.96	NOTE 1 & 2	NO	
-012	1X12	1.100/27.94	1.240/31.50	NOTE 1 & 2	NO	
-013	1X13	1.200/30.48	1.340/34.04	NOTE 1 & 2	NO	
-014	1X14	1.300/33.02	1.440/36.58	NOTE 1 & 2	NO	
-015	1X15	1.400/35.56	1.540/39.12	NOTE 1 & 2	NO	
-016	1X16	1.500/38.10	1.640/41.66	NOTE 1 & 2	NO	
-017	1X17	1.600/40.64	1.740/44.20	NOTE 1 & 2	NO	
-018	1X18	1.700/43.18	1.840/46.74	NOTE 1 & 2	NO	
-019	1X19	1.800/45.72	1.940/49.28	NOTE 1 & 2	NO	
-020	1X20	1.900/48.26	2.040/51.82	NOTE 1 & 2	NO	
-021	1X21	2.000/50.80	2.140/54.36	NOTE 1 & 2	NO	
-022	1X22	2.100/53.34	2.240/56.90	NOTE 1 & 2	NO	
-023	1X23	2.200/55.88	2.340/59.44	NOTE 1 & 2	NO	
-024	1X24	2.300/58.42	2.440/61.98	NOTE 1 & 2	NO	
-025	1X25	2.400/60.96	2.540/64.52	NOTE 1 & 2	NO	
-026	1X26	2.500/63.50	2.640/67.06	NOTE 1 & 2	NO	
-027	1X27	2.600/66.04	2.740/69.60	NOTE 1 & 2	NO	
-028	1X28	2.700/68.58	2.840/72.14	NOTE 1 & 2	NO	
-029	1X29	2.800/71.12	2.940/74.68	NOTE 1 & 2	NO	
-030	1X30	2.900/73.66	3.040/77.22	NOTE 1 & 2	NO	
-031	1X31	3.000/76.20	3.140/79.76	NOTE 1 & 2	NO	
-032	1X32	3.100/78.74	3.240/82.30	NOTE 1 & 2	NO	
-033	1X33	3.200/81.28	3.340/84.84	NOTE 1 & 2	NO	
-034	1X34	3.300/83.82	3.440/87.38	NOTE 1 & 2	NO	
-035	1X35	3.400/86.36	3.540/89.92	NOTE 1 & 2	NO	
-036	1X36	3.500/88.90	3.640/92.46	NOTE 1 & 2	NO	
-037	1X37	3.600/91.44	3.740/95.00	NOTE 1 & 2	NO	
-038	1X38	3.700/93.98	3.840/97.54	NOTE 1 & 2	NO	
-039	1X39	3.800/96.52	3.940/100.08	NOTE 1 & 2	NO	
67898-040	1X40	3.900/99.06	4.040/102.62	NOTE 1 & 2	NO	NOTE 14, 15

NOTE 9 & 13



Copyright FCI

mat'l. code		surface ISO 1302 <input checked="" type="checkbox"/>	tolerance ISO 406 ISO 1101	projection 	product family CARD CONN	
ltr	ecn	no	dr	date	title	
v					30μ"/0.76μ 1X.100	
tolerances unless otherwise specified		linear	.XX±.01/.X±.3		SMT CARD CONNECTOR	
angles		0°±2'		linear	.XXX±.0.005/.XX±.13	
				linear	.XXXX±.0020/.XXX±.051	
		dr	J.SHREINER	11/21/91	scale 4:1	
		enr	M.HAHN	11/21/91		
		chr	M.HAHN	11/21/91		
		appd	M.HAHN	11/21/91		
sheet index	revision sheet				dwg no	sheet 3 of 7 size
					67898	A3
					type	Product Customer Drawing

form: A3

PRODUCT NUMBER	NO. OF POS.	DIM A	DIM B	MATERIAL	TAPE & REEL PACKAGING	LEAD FREE OPTION
67898-041	1X41	4.000/101.60	4.140/105.16	NOTE 1 & 2	NO	NOTE 14, 15
-042	1X42	4.100/104.14	4.240/107.70	NOTE 1 & 2	NO	
-043	1X43	4.200/106.68	4.340/110.24	NOTE 1 & 2	NO	
-044	1X44	4.300/109.22	4.440/112.78	NOTE 1 & 2	NO	
-045	1X45	4.400/111.76	4.540/115.32	NOTE 1 & 2	NO	
-046	1X46	4.500/114.30	4.640/117.86	NOTE 1 & 2	NO	
-047	1X47	4.600/116.84	4.740/120.40	NOTE 1 & 2	NO	
-048	1X48	4.700/119.38	4.840/122.94	NOTE 1 & 2	NO	
-049	1X49	4.800/121.92	4.940/125.48	NOTE 1 & 2	NO	
-050	1X50	4.900/124.46	5.040/128.02	NOTE 1 & 2	NO	
-051	1X51	5.000/127.00	5.140/130.56	NOTE 1 & 2	NO	
-052	1X52	5.100/129.54	5.240/133.10	NOTE 1 & 2	NO	
-204	1X4	.300/7.62	.440/11.18	NOTE 1,2& 5	NO	
67898-314	1X14	1.300/33.02	1.440/36.58	NOTE 1 & 6	NO	
67898-315	1X15	1.400/35.56	1.540/39.12	NOTE 1 & 6	NO	
67898-320	1X20	1.900/48.26	2.040/51.82	NOTE 1 & 6	NO	NOTE 14, 15



Copyright FCI

mat'l. code		surface ISO 1302 <input checked="" type="checkbox"/>		tolerance ISO 406 ISO 1101		projection 		product family CARD CONN	
ltr	ecn	no	dr	date	tolerances unless otherwise specified		title		
V					angles	linear	30μ"/0.76μ 1X.100		
					0°±2'		SMT CARD CONNECTOR		
							scale 4:1		
					dr	J.SHREINER	11/21/91	dwg no	
					enr	M.HAHN	11/21/91	sheet 4 of 7 size	
					chr	M.HAHN	11/21/91	67898 A3	
					appd	M.HAHN	11/21/91	type Product Customer Drawing	
sheet index	revision sheet								

PRODUCT NUMBER	NO. OF POS.	DIM A	DIM B	MATERIAL	TAPE & REEL PACKAGING	LEAD FREE OPTION
67898-401		UNAVAILABLE				
-402	1X2	.100/2.54	.240/6.10	NOTE 2 & 7	NO	NOTE 14, 15
-403	1X3	.200/5.08	.340/8.64	NOTE 2 & 7	NO	
-404	1X4	.300/7.62	.440/11.18	NOTE 2 & 7	NO	
-405	1X5	.400/10.16	.540/13.72	NOTE 6 & 7	NO	
-406	1X6	.500/12.70	.640/16.26	NOTE 6 & 7	NO	
-407	1X7	.600/15.24	.740/18.80	NOTE 6 & 7	NO	
-408	1X8	.700/17.78	.840/21.34	NOTE 6 & 7	NO	
-409	1X9	.800/20.32	.940/23.88	NOTE 6 & 7	NO	
-410	1X10	.900/22.86	1.040/26.42	NOTE 6 & 7	NO	
-411	1X11	1.000/25.40	1.140/28.96	NOTE 6 & 7	NO	
-412	1X12	1.100/27.94	1.240/31.50	NOTE 6 & 7	NO	
-413	1X13	1.200/30.48	1.340/34.04	NOTE 6 & 7	NO	
-414	1X14	1.300/33.02	1.440/36.58	NOTE 6 & 7	NO	
-415	1X15	1.400/35.56	1.540/39.12	NOTE 6 & 7	NO	
-416	1X16	1.500/38.10	1.640/41.66	NOTE 6 & 7	NO	
-417	1X17	1.600/40.64	1.740/44.20	NOTE 6 & 7	NO	
-418	1X18	1.700/43.18	1.840/46.74	NOTE 6 & 7	NO	
-419	1X19	1.800/45.72	1.940/49.28	NOTE 6 & 7	NO	
-420	1X20	1.900/48.26	2.040/51.82	NOTE 6 & 7	NO	
-421	1X21	2.000/50.80	2.140/54.36	NOTE 6 & 7	NO	
-422	1X22	2.100/53.34	2.240/56.90	NOTE 6 & 7	NO	
-423	1X23	2.200/55.88	2.340/59.44	NOTE 6 & 7	NO	
-424	1X24	2.300/58.42	2.440/61.98	NOTE 6 & 7	NO	
-425	1X25	2.400/60.96	2.540/64.52	NOTE 6 & 7	NO	
-426	1X26	2.500/63.50	2.640/67.06	NOTE 6 & 7	NO	
-427	1X27	2.600/66.04	2.740/69.60	NOTE 6 & 7	NO	
-428	1X28	2.700/68.58	2.840/72.14	NOTE 6 & 7	NO	
-429	1X29	2.800/71.12	2.940/74.68	NOTE 6 & 7	NO	
-430	1X30	2.900/73.66	3.040/77.22	NOTE 6 & 7	NO	
-431	1X31	3.000/76.20	3.140/79.76	NOTE 6 & 7	NO	
-432	1X32	3.100/78.74	3.240/82.30	NOTE 6 & 7	NO	
-433	1X33	3.200/81.28	3.340/84.84	NOTE 6 & 7	NO	
-434	1X34	3.300/83.82	3.440/87.38	NOTE 6 & 7	NO	
-435	1X35	3.400/86.36	3.540/89.92	NOTE 6 & 7	NO	
-436	1X36	3.500/88.90	3.640/92.46	NOTE 6 & 7	NO	
-437	1X37	3.600/91.44	3.740/95.00	NOTE 6 & 7	NO	
-438	1X38	3.700/93.98	3.840/97.54	NOTE 6 & 7	NO	
-439	1X39	3.800/96.52	3.940/100.08	NOTE 6 & 7	NO	
67898-440	1X40	3.900/99.06	4.040/102.62	NOTE 6 & 7	NO	NOTE 14, 15



Copyright FCI

mat'l. code		surface ISO 1302 ✓	tolerance ISO 406 ISO 1101	projection 	product family CARD CONN
ltr	ecn	no	dr	date	tolerances unless otherwise specified
V					angles linear .XX±.01/.X±.3
					0'±2' .XXX±.0.005/.XX±.13
					.XXXX±.0020/.XXX±.051
			dr	J.SHREINER	11/21/91
			enr	M.HAHN	11/21/91
			chr	M.HAHN	11/21/91
			appd	M.HAHN	11/21/91
sheet index	revision sheet				



title  
30μ"/0.76μ 1X.100  
SMT CARD CONNECTOR

scale 4:1

dwg no 67898 sheet 5 of 7 size A3

type Product Customer Drawing

PRODUCT NUMBER	NO. OF POS.	DIM A	DIM B	MATERIAL	TAPE & REEL PACKAGING	LEAD FREE OPTION
67898-441	1X41	4.000/101.60	4.140/105.16	NOTE 6 & 7	NO	NOTE 14, 15
-442	1X42	4.100/104.14	4.240/107.70	NOTE 6 & 7	NO	
-443	1X43	4.200/106.68	4.340/110.24	NOTE 6 & 7	NO	
-444	1X44	4.300/109.22	4.440/112.78	NOTE 6 & 7	NO	
-445	1X45	4.400/111.76	4.540/115.32	NOTE 6 & 7	NO	
-446	1X46	4.500/114.30	4.640/117.86	NOTE 6 & 7	NO	
-447	1X47	4.600/116.84	4.740/120.40	NOTE 6 & 7	NO	
-448	1X48	4.700/119.38	4.840/122.94	NOTE 6 & 7	NO	
-449	1X49	4.800/121.92	4.940/125.48	NOTE 6 & 7	NO	
67898-450	1X50	4.900/124.46	5.040/128.02	NOTE 6 & 7	NO	



Copyright FCI

mat'l. code		surface ISO 1302 <input checked="" type="checkbox"/>		tolerance ISO 406 ISO 1101		projection 		product family CARD CONN	
ltr	ecn	no	dr	date		tolerances unless otherwise specified		title	
V						.XX±.01/.X±.3		30μ"/0.76μ 1X.100	
				angles	linear	.XXX±.0.005/.XX±.13		SMT CARD CONNECTOR	
				0°±2'		.XXXX±.0020/.XXX±.051		scale 4:1	
			dr	J.SHREINER	11/21/91			dwg no	
			enr	M.HAHN	11/21/91			sheet 6 of 7	
			chr	M.HAHN	11/21/91			size	
			appd	M.HAHN	11/21/91			A3	
sheet index		revision sheet						type Product Customer Drawing	

form: A3

PRODUCT NUMBER	NO. OF POS.	DIM A	DIM B	MATERIAL	TAPE&REEL PACKAGING	LEAD FREE OPTION	PRODUCT NO.	NO. OF POS.	DIM A	DIM B	MATERIAL	TAPE & REEL PACKAGING	LEAD FREE OPTION	
67898-601	UNAVAILABLE							67898-641	1X41	4.000/101.60	4.140/105.16	NOTE 1 & 8	NO	NOTE 14, 15
-602	1X2	.100/2.54	.240/6.10	NOTE 1 & 2	NO	NOTE 14, 15	-642	1X42	4.100/104.14	4.240/107.70	NOTE 1 & 8	NO	NOTE 14, 15	
-603	1X3	.200/5.08	.340/8.64				-643	1X43	4.200/106.68	4.340/110.24	NOTE 1 & 8	NO		
-604	1X4	.300/7.62	.440/11.18				-644	1X44	4.300/109.22	4.440/112.78	NOTE 1 & 8	NO		
-605	1X5	.400/10.16	.540/13.72				NOTE 1 & 8	NO	-645	1X45	4.400/111.76	4.540/115.32		NOTE 1 & 8
-606	1X6	.500/12.70	.640/16.26	NOTE 1 & 8	NO	-646	1X46	4.500/114.30	4.640/117.86	NOTE 1 & 8	NO			
-607	1X7	.600/15.24	.740/18.80	NOTE 1 & 8	NO	-647	1X47	4.600/116.84	4.740/120.40	NOTE 1 & 8	NO			
-608	1X8	.700/17.78	.840/21.34	NOTE 1 & 8	NO	-648	1X48	4.700/119.38	4.840/122.94	NOTE 1 & 8	NO			
-609	1X9	.800/20.32	.940/23.88	NOTE 1 & 8	NO	-649	1X49	4.800/121.92	4.940/125.48	NOTE 1 & 8	NO			
-610	1X10	.900/22.86	1.040/26.42	NOTE 1 & 8	NO	-650	1X50	4.900/124.46	5.040/128.02	NOTE 1 & 8	NO			
-611	1X11	1.000/25.40	1.140/28.96	NOTE 1 & 8	NO	-651	1X51	5.000/127.00	5.140/130.56	NOTE 1 & 8	NO			
-612	1X12	1.100/27.94	1.240/31.50	NOTE 1 & 8	NO	67898-652	1X52	5.100/129.54	5.240/133.10	NOTE 1 & 8	NO	NOTE 14, 15		
-613	1X13	1.200/30.48	1.340/34.04	NOTE 1 & 8	NO									
-614	1X14	1.300/33.02	1.440/36.58	NOTE 1 & 8	NO									
-615	1X15	1.400/35.56	1.540/39.12	NOTE 1 & 8	NO									
-616	1X16	1.500/38.10	1.640/41.66	NOTE 1 & 8	NO									
-617	1X17	1.600/40.64	1.740/44.20	NOTE 1 & 8	NO									
-618	1X18	1.700/43.18	1.840/46.74	NOTE 1 & 8	NO									
-619	1X19	1.800/45.72	1.940/49.28	NOTE 1 & 8	NO									
-620	1X20	1.900/48.26	2.040/51.82	NOTE 1 & 8	NO									
-621	1X21	2.000/50.80	2.140/54.36	NOTE 1 & 8	NO									
-622	1X22	2.100/53.34	2.240/56.90	NOTE 1 & 8	NO									
-623	1X23	2.200/55.88	2.340/59.44	NOTE 1 & 8	NO									
-624	1X24	2.300/58.42	2.440/61.98	NOTE 1 & 8	NO									
-625	1X25	2.400/60.96	2.540/64.52	NOTE 1 & 8	NO									
-626	1X26	2.500/63.50	2.640/67.06	NOTE 1 & 8	NO									
-627	1X27	2.600/66.04	2.740/69.60	NOTE 1 & 8	NO									
-628	1X28	2.700/68.58	2.840/72.14	NOTE 1 & 8	NO									
-629	1X29	2.800/71.12	2.940/74.68	NOTE 1 & 8	NO									
-630	1X30	2.900/73.66	3.040/77.22	NOTE 1 & 8	NO									
-631	1X31	3.000/76.20	3.140/79.76	NOTE 1 & 8	NO									
-632	1X32	3.100/78.74	3.240/82.30	NOTE 1 & 8	NO									
-633	1X33	3.200/81.28	3.340/84.84	NOTE 1 & 8	NO									
-634	1X34	3.300/83.82	3.440/87.38	NOTE 1 & 8	NO									
-635	1X35	3.400/86.36	3.540/89.92	NOTE 1 & 8	NO									
-636	1X36	3.500/88.90	3.640/92.46	NOTE 1 & 8	NO									
-637	1X37	3.600/91.44	3.740/95.00	NOTE 1 & 8	NO									
-638	1X38	3.700/93.98	3.840/97.54	NOTE 1 & 8	NO									
-639	1X39	3.800/96.52	3.940/100.08	NOTE 1 & 8	NO									
67898-640	1X40	3.900/99.06	4.040/102.62	NOTE 1 & 8	NO	NOTE 14, 15								



FCIconnect.com

Copyright FCI

mat'l. code		surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection ⊕		product family CARD CONN	
ltr	ecn	no	dr	date		tolerances unless otherwise specified		title	
v						angles	linear	30μ"/0.76μ 1X.100	
						0±2'		SMT CARD CONNECTOR	
								scale 4:1	
						dr	J.SHREINER	11/21/91	dwg no
						enr	M.HAHN	11/21/91	sheet 7 of 7 size
						chr	M.HAHN	11/21/91	67898 A3
						appd	M.HAHN	11/21/91	type Product Customer Drawing
sheet index	revision sheet								