





THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

REVISIONS				DATE	DWN	APVD
P	LTR	DESCRIPTION				
H		REVISED PER 0G3B-0179-05	4/22/05	SS	GS	



- 1. NYLON, RED.
- 2. PHOSPHOR BRONZE.
- 3. 3.81um [.000150] MIN TIN-LEAD OVER 1.27um [.000050] MIN NICKEL.
- 4. 0.76um [.000030] MIN GOLD FOR A LENGTH OF 5.08 [.200] MIN FROM MATING END, 3.81um [.000150] MIN TIN-LEAD FOR A LENGTH OF 5.36 [.211] MIN FROM OPPOSITE END, BOTH OVER 1.27um [.000050] MIN NICKEL.
- 5. 3.81um [.000150] MIN TIN OVER 1.27um [.000050] MIN NICKEL.
- 6. 0.76um [.000030] MIN GOLD FOR A LENGTH OF 5.08 [.200] MIN FROM MATING END, 3.81um [.000150] MIN TIN FOR A LENGTH OF 5.36 [.211] MIN FROM OPPOSITE END, BOTH OVER 1.27um [.000050] MIN NICKEL.

CONTACT FINISH	PART NO.
6	207615-7
5	207615-6
4	207615-3
3	207615-1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN L. SIPE 08/07/92	Tyco Electronics Corporation Harrisburg, Pa 17105-3608	
DIMENSIONS: mm [INCHES]		CHK R. STONE 8-25-92	NAME SOCKET HEADER ASSEMBLY, 16 POSN, IN-LINE, METRIMATE	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD -	PRODUCT SPEC -	APPLICATION SPEC -
MATERIAL HOUSING: 1		FINISH CONTACTS: SEE TABLE	WEIGHT -	SCALE 2:1
0 PLC ± -		1 PLC ± -	2 PLC ± 0.25 [.010]	3 PLC ± -
4 PLC ± -		ANGLES ± -	SIZE A2	
CUSTOMER DRAWING		CAGE CODE 00779		DRAWING NO C=207615
RESTRICTED TO		SHEET 1 OF 1		REV H