

# BN-ZB 5,2/WH:UNBEDRUCKT

Order No.: 1401815

The illustration shows version BN-ZB 5,2 -UNPRINTED, - CONSEC. NOS and BNB-ZB 5,2 SO/CMS



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1401815>

BN Zack strip, unprinted: 10-section, for individual labeling with M-PEN or CMS system, sufficient for labeling 100 terminal blocks

Commercial data	
EAN	4017918020552
Pack	10 Pcs.
Customs tariff	39269097
Weight/Piece	0.000457 KG
Catalog page information	Page 455 (CL-2007)

#### Product notes

WEEE/RoHS-compliant since:  
01/01/2003



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

## Technical data

General	
Color	white
Inflammability class acc. to UL 94	V2
Wipe resistance	DIN EN 61010-1/VDE 0411-1
Ambient temperature (operation)	-40 °C ... 100 °C
Components	free from silicone and halogen

Pitch	5.2 mm
Material	PA

**Address**

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 00  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2008 Phoenix Contact  
Technical modifications reserved;