

## FLKM 14-PA-MODI-A120

Order No.: 2289450



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2289450>

VARIOFACE front adapter, for Schneider Electric MODICON  
TSX-Compact (A120, 984), 2 x 8 channels can be connected

**Commercial data**

EAN	4017918057572
Pack	5 Pcs.
Customs tariff	85369010

[http://  
www.download.phoenixcontact.com](http://www.download.phoenixcontact.com)  
Please note that the data given  
here has been taken from the  
online catalog. For comprehensive  
information and data, please refer

#### Commercial data

Weight/Piece	0.03885 KG
Catalog page information	Page 154 (IF-2002)

to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

#### Technical data

##### General

Nominal voltage $U_N$	60 V AC/DC
Channels which can be connected	16
Connection type, plug connector	Flat-ribbon cable plug connector in acc. with IEC 60603-13
Number of plug connectors	2
No. of positions, plug connector	14
Number of positions	14
Ambient temperature (operation)	-20 °C ... 50 °C
Ambient temperature (storage/transport)	-20 °C ... 70 °C
Mounting position	Any
Standards/regulations	IEC 60664
	IEC 60664 A
	DIN VDE 0110
	DIN VDE 0160 (in parts)
Max. permissible current	Per path 1 A
Max. permissible total current	Per byte 3 A (during supply via a connector)
Pollution degree	2
Surge voltage category	II

#### Certificates / Approvals

Approval logo




#### requested approbations

Certification	CUL, GOST, UL
---------------	---------------

**Drawings**

Circuit diagram



**Address**

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 00  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2008 Phoenix Contact  
Technical modifications reserved;