

FLKM 14-PA/GE/DI

Order No.: 2290038

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2290038>VARIOFACE front adapter, for GE-FANUC series 90-30, 2 x 8
channels can be connected, digital input**Commercial data**

EAN	4017918057923
Pack	5 Pcs.
Customs tariff	85369010
Weight/Piece	0.05328 KG
Catalog page information	Page 173 (IF-2007)

Product notesWEEE/RoHS-compliant since:
07/11/2006

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data**General**

Nominal voltage U_N	50 V AC/DC
Channels which can be connected	16
Connection type, plug connector	Flat-ribbon cable plug connector in acc. with IEC 60603-13
Number of plug connectors	2

No. of positions, plug connector	14
Number of positions	14
Ambient temperature (operation)	-20 °C ... 50 °C
Ambient temperature (storage/transport)	-20 °C ... 70 °C
Mounting position	Any
Standards/regulations	IEC 60664
	DIN EN 50178
	IEC 62103
Max. permissible current	Per path 1 A per connection 3 A (during supply via separate power supply)
Pollution degree	2
Surge voltage category	II

Connection data, power supply

Type of connection	COMBICON screw/plug connection
Conductor cross section stranded min.	0.14 mm ²
Conductor cross section stranded max.	1.5 mm ²
Conductor cross section solid min.	0.14 mm ²
Conductor cross section solid max.	1.5 mm ²
Conductor cross section AWG/kcmil min.	28
Conductor cross section AWG/kcmil max	16

Certificates / Approvals

Approval logo




requested approbations

Certification	CUL, GOST, UL
---------------	---------------

Drawings

Circuit diagram

Connection scheme FLKM 14-PA/GE/DI



Address

PHOENIX CONTACT GmbH & Co. KG
Flachmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 00
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2008 Phoenix Contact
Technical modifications reserved;