



- NOTES:
1. MATERIAL: SEE TABLE
 2. FINISHES: SEE TABLE
 3. PRODUCT SPECIFICATION: NOT REQUIRED
 4. PACKAGING: NOT REQUIRED
 5. NOTES WITH: NONE
 6. "XX" REFERS TO THE NUMBER OF CIRCUITS

NUMBER OF CIRCUITS	"A" DIM.	"B" DIM.	"C" DIM.	MATERIAL NUMBER
01	8.00 [.315]	N/A	N/A	391001201
02	20.00 [.787]	12.00 [.472]	N/A	391001202
03	32.00 [1.260]	24.00 [.944]	12.00 [.472]	391001203
04	44.00 [1.732]	36.00 [1.416]	24.00 [.945]	391001204
05	56.00 [2.205]	48.00 [1.888]	36.00 [1.417]	391001205
06	68.00 [2.677]	60.00 [2.359]	48.00 [1.890]	391001206
07	80.00 [3.150]	72.00 [2.831]	60.00 [2.362]	391001207
08	92.00 [3.622]	84.00 [3.303]	72.00 [2.835]	391001208
09	104.00 [4.094]	96.00 [3.775]	84.00 [3.307]	391001209
10	116.00 [4.567]	108.00 [4.247]	96.00 [3.780]	391001210
11	128.00 [5.039]	120.00 [4.719]	108.00 [4.252]	391001211
12	140.00 [5.512]	132.00 [5.191]	120.00 [4.724]	391001212

ITEM	QTY.	DESCRIPTION	MATERIAL	FINISH
4	XX*2	CLAMPING SCREWS, M3.5	STEEL	ZINC
3	XX	WIRE PROTECTOR	BRASS	NICKEL
2	XX	TERMINAL	BRASS	NICKEL
1	1	INSULATOR	NYLON 6	CLEAR

REV. A
 BE NO. RELEASED
 DRAWN: JF 09-16-04
 CHK: []
 APPR: []

QUALITY SYMBOLS	GENERAL TOLERANCES: (UNLESS SPECIFIED)
MAJOR =	mm INCH
CRITICAL =	4 PLACES ±.0015
E =	3 PLACES ±.038 ±.005
S =	2 PLACES ±.13 ±.01
	1 PLACE ±.3
	ANGULAR: ±2°
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

SCALE: 2:1
 DESIGN UNITS: mm INCH
 THIRD ANGLE PROJECTION: FIRST ANGLE
 DRAWN BY & DATE: J. FARMER 09-16-04
 CHECKED BY & DATE: [] []
 APPROVED BY & DATE: [] []

PROJECT NO. - - -
 DIMENSIONS: mm INCH INCH mm ONLY
 SHEET REV: 1 OF 1
 TITLE: 12MM HIGH PROFILE WITH WIRE PROTECTORS
 MOLEX INCORPORATED
 MATERIAL NO. SEE CHART
 DRAWING NO. SD-39100-006
 SHEET NO. 1 OF 1
 SIZE 8

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.