

# MSTBO 2,5/ 3-G1R

Order No.: 1861031

Illustration shows different articles for putting together the upper part of the housing



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1861031>

COMBICON header, for soldering into the printed circuit board, right

Commercial data	
EAN	4017918133399
Pack	50 Pcs.
Customs tariff	85369010
Weight/Piece	0.001883 KG
Catalog page information	Page 548 (CC-2007)

### Product notes

WEEE/RoHS-compliant since:  
01/01/2003



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

### Certificates / Approvals

Approval logo




### CSA

Nominal voltage $U_N$	300 V
-----------------------	-------



Nominal current $I_N$	10 A
<b>CUL</b>	
Nominal voltage $U_N$	300 V
Nominal current $I_N$	10 A
<b>UL</b>	
Nominal voltage $U_N$	300 V
Nominal current $I_N$	10 A
Certification	CB, CSA, CUL, GOST, UL, VDE-PZI

**Drawings**


Schematic diagram



Pin assignment right



Pin assignment right



**Address**

PHOENIX CONTACT Inc., USA  
586 Fulling Mill Road  
Middletown, PA 17057, USA  
Phone (800) 888-7388  
Fax (717) 944-1625  
<http://www.phoenixcon.com>



© 2008 Phoenix Contact  
Technical modifications reserved;