

**ZFKDSA 4- 9**

Order No.: 1907542

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1907542>

End terminal block, 9 mm wide, necessary at the end of a row of terminal blocks

Commercial data	
EAN	4017918193911
Pack	50 Pcs.
Customs tariff	85369010
Weight/Piece	0.00548 KG
Catalog page information	Page 307 (CC-2007)

## Product notes

WEEE/RoHS-compliant since:  
01/01/2003

<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

## Certificates / Approvals

Approval logo



**CUL**

Nominal voltage $U_N$	300 V
Nominal current $I_N$	10 A
AWG/kcmil	24-10

**UL**

Nominal voltage $U_N$	300 V
Nominal current $I_N$	10 A
AWG/kcmil	24-10
Certification	CUL, UL

**Accessories**


Item	Designation	Description
<b>Assembly</b>		
1928495	FL-ZFKDS 4	Pair of flanges, can be snapped onto a row of single terminal blocks
1928521	RZ-ZFKDS 4	Pitch spacer, 2.5 mm wide

**Bridges**


1928343	FBSK 2-7,5	Bridge, fully insulated, pitch 7.5 mm, 2-pos.
1928356	FBSK 3-7,5	Bridge, fully insulated, pitch 7.5 mm, 3-pos.
1928369	FBSK 4-7,5	Bridge, fully insulated, pitch 7.5 mm, 4-pos.
1928372	FBSK 5-7,5	Bridge, fully insulated, pitch 7.5 mm, 5-pos.
1928385	FBSK 10-7,5	Bridge, fully insulated, pitch 7.5 mm, 10-pos.

**Drawings**

## Drilling diagram



Dimensioned drawing



**Address**

PHOENIX CONTACT GmbH & Co. KG  
Flachmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 00  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2008 Phoenix Contact  
Technical modifications reserved;