


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
AF	50		H1	REVISED PER ECR-07-002041	02FEB07	HMR	KR

IDENTIFICATION NUMBER FOR MAGNET WIRE RANGE






1 FOR MAG-MATE CAVITY SPECIFICATION REFER TO APPLICATION SPEC #114-2066.

2 CONTINUOUS STRIP ON REELS WITH TERMINALS LOCATED ON .330 CENTERS.

3 AFTER INSERTION INTO PLASTIC HOLDER MAG-MATE MUST BE POTTED-IN TO PREVENT PULL-OUT WHEN MATING RECEPTACLE IS DISCONNECTED.

FOR COPPER OR ALUMINUM WIRE. 2 WIRES MAX OF THE SAME SIZE AND TYPE PER SLOT

FINISH RESIST OVER 0.00232 [.000080] MIN TIN PER MIL-T-10727



OBSOLETE	#14-#15	#15-#16	SPECIAL	5	63459-4
	#14-#15	#15-#16	STANDARD	5	63459-3
	#14-#15	#15-#16	TIN		63459-2
OBSOLETE		#15-#16	VARNISH RESIST OVER TIN		63459-1
	ALUMINUM	COPPER	FINISH		PART NO
	MAGNET WIRE RANGE			4	

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	JR RUTH	1/26/87	 Tyco Electronics Corporation Harrisburg, Pa 17105-3608
DIMENSIONS: INCHES		CHK	G YETTER	1/29/87	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	J SWARTZ	1/29/87	
0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± .015 4 PLC ± - ANGLES ± - FINISH SEE TABLE		NAME	TAB, .250 FASTON, MAG-MATE		
MATERIAL	#4H PRE-MILLED BRASS	WEIGHT	-	SIZE	A2
		CUSTOMER DRAWING	SCALE	4:1	SHEET
				CAGE CODE	00779
				DRAWING NO	C=63459
				RESTRICTED TO	-
				REV	H1