



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL INTERNATIONAL RIGHTS RESERVED.


LOC	DIST	REVISIONS					
AF	50	P	LTR	DESCRIPTION	DATE	DWN	APVD
		H1		REV PER ECR 08-017011	16JUL08	JR	DD



- 1 CONTINUOUS STRIP ON REEL.
- △2 0.002032 [.000080] MIN TIN PL PER MIL-T-10727.
- △3 INSULATION RANGES:  
 3.68-5.33 [.145-.210] FOR AN F TYPE CRIMP  
 5.33-7.37 [.210-.290] FOR AN O TYPE CRIMP
- △4 PRELIMINARY - NOT FOR PRODUCTION



SECTION A-A  
SCALE 5:1



SECTION B-B  
SCALE 5:1

REVERSE REELING	△3	[10-6] AWG	△4 61866-3
---			61866-1
NOTES	INSULATION RANGE	WIRE RANGE	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 2/16/94 PHILLIP M FORTNEY	Tyco Electronics Corporation Harrisburg, PA 17105-3608	
DIMENSIONS: MM [ INCHES ]		CHK 2/16/94 JEFF RUTH	NAME RING TERMINAL	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± 0.25 [.010] 3 PLC ± - 4 PLC ± - ANGLES ± -		APVD 2/16/94 GARY YETTER	PRODUCT SPEC -	
MATERIAL 082 BRASS		FINISH △2	APPLICATION SPEC -	RESTRICTED TO -
CUSTOMER DRAWING		WEIGHT -	SIZE A3	CAGE CODE 00779
		DRAWING NO C-61866		SCALE 4:1
		SHEET 1 OF 1		REV H1