


- NOTES:
- ① MAT'L: COPPER(STOCK TKN,  $\frac{.040}{1.02}$  )
  - ② PLATING: ELECTRO-TIN (.0003 MIN.)
  - ③ INSULATION: MOLDED PVC (YELLOW)



MWID = MAXIMUM WIRE INSULATION DIAMETER  
 WIRE SIZE: 12-10 AWG  
 4.0-6.0 MM<sup>2</sup>

- STUD SIZES: ( $\pm .005$ )
- 02 = .094
  - 04 = .119
  - 06 = .146
  - 08 = .173
  - 10 = .198
  - 14 = .265
  - 56 = .328
  - 38 = .390

"UL" LISTING #E32244  
 "CSA" LISTING #18689

ALL DIMENSIONS =  $\frac{\text{INCHES}}{\text{MM}}$

PART NUMBER	"W" $\pm .010$	"C" MIN.	"L" MAX.	AVAILABLE STUD SIZES
C-241-	$\frac{.375}{9.53}$	$\frac{.301}{7.65}$	$\frac{1.103}{28.02}$	06X, 08X, 10X
C-268-	$\frac{.533}{13.54}$	$\frac{.393}{9.98}$	$\frac{1.256}{31.90}$	10X, 14X, 56X

DIMENSIONAL TOLERANCES UNLESS OTHERWISE SPECIFIED

FRAC.	DEC.	ANG.
$\pm$	$\pm$	$\pm$

REFERENCE SCALE: NTS

DATE	TITLE
10-31-84	SPADE TONGUE TERMINAL INSULKRIMP 200-SERIES
CHKD. BY: GZ	
APPD. BY:	

DWG. NO. A CUSTOMER DWG.

ETC molcox INCORPORATED