# **3M** Scotchlok<sup>™</sup> Terminals

### MVU18BC, MVU14BC, MVU10BC Butt Connector, Vinyl Insulated, Butted Seam

| - | L | - |
|---|---|---|
|   |   |   |

## Data Sheet

| Product<br>Number | Wire Range<br>(AWG) | L    | Thickness | Barrel<br>Length | Barrel<br>I.D. | Maximum<br>Insulation<br>Diameter |
|-------------------|---------------------|------|-----------|------------------|----------------|-----------------------------------|
| MVU18BC           | 22-18               | 1.00 | 0.030     | 0.25             | 0.070          | 0.145                             |
| MVU14BC           | 16-14               | 1.00 | 0.030     | 0.25             | 0.090          | 0.170                             |
| MVU10BC           | 12-10               | 1.02 | 0.040     | 0.25             | 0.135          | 0.250                             |



UNDERWRITERS LABORATORIES STANDARD NO. UL 486C 3M FILE NO. E23438

#### **Specifications**

Wire Size: Barrel Seam: Insulator Max. Volt Rating:

Maximum Operating Temp.: Maximum Current: Insulator Material: Terminal Material: Terminal Plating:



CANADIAN STANDARDS ASSOCIATION STANDARD NO. 22.2 NO. 0, 65 3M FILE NO. LR22190

See Table Above Butted 600 V Building Wire: 1000 V Signs or Fixtures (Luminaires) 221°F (105°C) Same as Wire Vinyl ETP Copper Tin

### **Installation Information**

#### **WARNING**

Turn power off before installing or removing terminal. All electrical work should be done according to appropriate electrical codes.

UL Listed and CSA Certified for use on stranded copper (AWG) wire only.

Strip away the end 5/16 inch of wire insulation.

Make the crimp in the proper station of a recommended 3M crimp tool: TH-440, TH-450 (scissor style) or TR-490 (ratchet style) hand tools.



Barrel Crimp (Required)

3M is a trademark of 3M Company.

(h) (f)

is a trademark of Underwriters Laboratories.
is a trademark of Canadian Standards Association.

#### **Important Notice**

All statements, technical information, and recommendations related to 3M's products are based on information believed to be reliable, but the accuracy or completeness is not guaranteed. Before using this product, you must evaluate it and determine if it is suitable for your intended application. You assume all risks and liability associated with such use. Any statements related to the product which are not contained in 3M's current publications, or any contrary statements contained on your purchase order shall have no force or effect unless expressly agreed upon, in writing, by an authorized officer of 3M.

Warranty; Limited Remedy; Limited Liability. This product will be free from defects in material and manufacture as of the date of purchase. 3M MAKES NO OTHER WARRANTIES INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. If this product is defective within the warranty period stated above, your exclusive remedy shall be, at 3M's option, to replace or repair the 3M product or refund the purchase price of the 3M product. Except where prohibited by law, 3M will not be liable for any loss or damage arising from this 3M product, whether direct, Indirect, special, Incidental or consequential regardless of the legal theory asserted.

#### **3M**

Electrical Markets Division 6801 River Place Blvd. Austin, TX 78726-9000 www.3M.com/electrical

Litho in USA © 3M 2004 78-8125-9668-8-B