

ACmaxx 6100 NM

Compact Axial Fan



ebm-papst introduces an extension of our AC product line with the new 6-inch ACmaxx tubeaxial fan series AC 6100 NM.

The AC 6100 NM series once again consists of our proven external rotor motor with completely integrated drive and control electronics. Please check back with us regarding availability of additional ACmaxx tubeaxial fan sizes

General Data

Nominal Voltage	V AC	115 / 230 (50 / 60 Hz)
Voltage Range	V AC	85 ... 265
Nominal Speed	min ⁻¹	2 850
Max. flow rate	m ³ /h	350
Max. flow rate	CFM	206
Noise free air	dB(A)	50
Power consumption	W	13.5
Permanent ambient temperature at max. voltage	°C	-20 ... +70
Service life (70 °C)	h	35 000
Service life (40 °C)	h	70 000
Fan housing / impeller		PBTP / PA
Bearing system		Ball bearings
Mass	g	675

Features

- Wide input voltage range, 85 ... 265 V AC
- High efficiency – very low power consumption
- High reliability L₁₀
- Speed control, tacho / alarm signals etc. are available
- Safety UL; CSA; VDE; CCC; CE
- EMI
 - > EN61000-4-4 Level 1 (1 kV/B)
 - > EN61000-4-2 Level 8 kV/15 kV
 - > EN61000-4-3
 - > EN61000-4-6
 - > EN61000-4-8
 - > EN55022 Class B
- Optional: improved humidity protection or IP 54

