



# SAW Components

Data Sheet B3563





**SAW Components**

**B3563**

**Low-loss Filter**

**864,00 MHz**

**Data Sheet**


Ceramic package **DCC6C**

**Features**

- Low loss RF filter for wireless audio application
- Low amplitude ripple
- High image frequency suppression
- No matching network required for operation at 50 Ω
- Package for **Surface Mounted Technology (SMT)**

**Terminals**


- Ni, gold-plated



Dimensions in mm, approx. weight 0,037 g

**Pin configuration**

- 2                    Input
- 5                    Output
- 1, 3, 4, 6        Ground



Type	Ordering code	Marking and Package according to	Packing according to
B3563	B39861-B3563-U410	C61157-A7-A67	F61074-V8088-Z000

Electrostatic Sensitive Device (ESD)

**Maximum ratings**

Operable temperature range	$T$	0/+40	°C	source impedance 50 Ω
Storage temperature range	$T_{stg}$	-40/+85	°C	
DC voltage	$V_{DC}$	0	V	
Source power	$P_S$	0	dBm	



Data Sheet

Characteristics


Operating temperature range:  $T = 0 \dots 40 \text{ }^\circ\text{C}$   
 Terminating source impedance:  $Z_S = 50 \text{ } \Omega$   
 Terminating load impedance:  $Z_L = 50 \text{ } \Omega$

		min.	typ.	max.	
<b>Center frequency</b>	$f_c$	—	864,00	—	MHz
<b>Maximum insertion attenuation</b>	$\alpha_{\max}$				
	862,50 ... 865,50 MHz	—	4,0	6,0	dB
<b>Amplitude ripple</b>	$\Delta\alpha$				
	862,50 ... 865,50 MHz	—	1,5	2,5	dB
<b>Relative attenuation (relative to <math>\alpha_{\max}</math>)</b>	$\alpha_{\text{rel}}$				
	841,60 ... 843,60 MHz	40,0	44,0	—	dB
	852,30 ... 853,30 MHz	30,0	38,0	—	dB
	879,00 ... 915,00 MHz	30,0	38,0	—	dB
<b>Temperature coefficient of frequency</b>	$TC_f$	—	-30	—	ppm/K




Data Sheet

Transfer function



Transfer function (wideband)





**SAW Components**

**B3563**

**Low-loss Filter**

**864,00 MHz**

Data Sheet

**Published by EPCOS AG**

**Surface Acoustic Wave Components Division, SAW CE AE**

**P.O. Box 80 17 09, 81617 Munich, GERMANY**

©.EPCOS AG 2002. Reproduction, publication and dissemination of this brochure and the information contained therein without EPCOS' prior express consent is prohibited.

Purchase orders are subject to the General Conditions for the Supply of Products and Services of the Electrical and Electronics Industry recommended by the ZVEI (German Electrical and Electronic Manufacturers' Association), unless otherwise agreed.

This brochure replaces the previous edition.

For questions on technology, prices and delivery please contact the Sales Offices of EPCOS AG or the international Representatives.

Due to technical requirements components may contain dangerous substances. For information on the type in question please also contact one of our Sales Offices.