

NS 32 UNPERF 2000MM

Order No.: 1201015

The illustration shows variant NS 32 in the perforated and unperforated
version<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1201015>G-profile DIN rail, material: Steel, unperforated, height 15 mm, width
32 mm, length 2 m

Commercial data

EAN	4017918017149
Pack	1 Meter
Customs tariff	72166190
Weight/Piece	0.73 KG
Catalog page information	Page 507 (CL-2007)

Product notes

WEEE/RoHS-compliant since:
03/07/2006

[http://
www.download.phoenixcontact.com](http://www.download.phoenixcontact.com)
Please note that the data given
here has been taken from the
online catalog. For comprehensive
information and data, please refer
to the user documentation. The
General Terms and Conditions of
Use apply to Internet downloads.


Technical data

General data

Height	15 mm
Length	2000 mm
Width	32 mm
Material	Steel
Color	silver

Drawings

Dimensioned drawing



Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2008 Phoenix Contact
Technical modifications reserved;