



Introducing Solar Panel Installation Identification Labels

Solar Panel Installation Identification labels

KEY FEATURES

Recommended for use in identification of DC Disconnects and Inverters.

For use on painted smooth metal and textured metal surfaces.

Excellent durability in extreme outdoor elements such as UV, rain, humidity, cold and salt spray.

Four formats available.

RoHS compliant.

DESCRIPTION

Tyco Electronics introduces label solutions for Solar Panel Installation per the National Electric Code (NEC) specification.

Labels are manufactured using ultraviolet (UV) resistant ink, permanent acrylic adhesive and base material designed to withstand environmental elements. A laminate is added to further add protection against prolonged UV exposure.

APPLICATIONS

Renewable Energy:

Solar - DC Switches, Combiner Boxes

Wind - DC Switches

TEMPERATURE RATING

Service Temperature:
-51°C to 93.3°C (-60°F to 200°F)

SPECIFICATIONS & APPROVALS

Tyco Electronics: TTDS-168

Industry: ASTM D 3652
ASTM D 3330
ASTM D 2979
ASTM D 1000
ASTM D 3759
MIL202G, Method 215
ASTM D3424 Method 4
ASTM G85 Annex 5
ASTM 81531

Solar Panel Installation Identification labels

ORDERING INFORMATION

Ordering Description	Label Dimensions (W X H)	Qty per Roll
CL3803-000 2 part construction	Top Label 4.12" X 0.75" Bottom Label 4.12" X 2.06"	1000
CL3804-000	4.12" X 0.75"	1000
CL3805-000	4.12" X 0.75"	1000
CL3806-000 2 part construction	Top Label 4.12" X 0.75" Bottom label 4.12" X 3.00"	1000



