

PS7224-20HW

- ▶ AC input hardwired via knockout on unit
- ▶ 24 outlets
- ▶ Ideal for applications requiring permanent installation



DESCRIPTION

Tripp Lite's PS7224-20HW Power Strip offers 20 amp multi-outlet AC power distribution in a convenient 72 inch hardwire cabinet. Includes knockout panels to accept 3/4 in. conduit fittings for hardwire installation and 24 output receptacles with 2.795 inch center-to-center spacing. Ideal for horizontal or vertical raceway style power distribution in office, workbench, industrial, networking and telecom applications.

INPUT / OUTPUT: Input: Hard-wire access via knockout panels that accept 3/4 inch conduit fittings Output: 24 outlets total, 2 NEMA5-20R (20A) and 22 NEMA5-15R (15A)

ELECTRICAL: 120V AC, 50/60Hz, 20A (no circuit breaker)

FORMAT: 72 inch strip format with 24 outlets

KEY BUYING POINTS

- Versatile all-metal 72 inch format with outlets arranged in a single row
- Knockout panels for 3/4 inch conduit fittings allow permanent hardwire installation
- Ideal for horizontal or vertical raceway style power distribution in office, workbench, industrial, networking and telecom applications
- 24 outlets total, 2 NEMA5-20R (20A) and 22 NEMA5-15R (15A)
- 20 amp electrical capacity
- 120V AC, 50/60Hz electrical compatibility

TYPICAL APPLICATIONS

- Offers multiple outlet power distribution for a variety of applications, including office, workbench, industrial, networking, telecom and more.

PACKAGE INCLUDES

- PS7224-20HW
- Mounting hardware
- Instruction manual

COMPLETE SPECIFICATIONS

SYSTEM OVERVIEW	
System overview:	6 ft. mountable hardwire power strip, 20A capacity
Voltage compatibility:	120VAC
Frequency compatibility:	50/60 Hz
OUTPUT	
Output volt amp capacity (amps):	20A

Output watt capacity (watts):	2400
Outlet quantity / type:	22 Nema 5-15R / 2 Nema 5-20R
Outlet spacing:	2.795 in.
INPUT	
Input connection type:	3/4 inch knockouts support hardwire input connection
Recommended electrical service:	20A 120V
PHYSICAL	
Unit Dimensions (HWD/in):	1.5 x 1.5 x 72
Unit Dimensions (HWD/cm):	3.8 x 3.8 x 182.88
Material of construction:	Metal
Integrated keyhole mounting tabs:	Mount through housing supports bolt down installation to a variety of flat surfaces
Housing color:	Beige
Receptacle color:	Almond
CERTIFICATIONS	
cUL / CSA (Canada):	cUL
Approvals:	UL
WARRANTY	
Product warranty:	Lifetime

*The policy of Tripp Lite is one of continuous improvement.
Specifications are subject to change without notice.
Therefore, your product may vary slightly from what is currently listed.*



Tripp Lite World Headquarters
1111 W. 35th Street
Chicago, IL 60609 USA

Customer Support
(773) 869-1234

© 2004 Tripp Lite. All Rights Reserved.