

PS7224-20T

- ▶ 24 outlets
- ▶ Convenient and safe covered, on/off switch
- ▶ 20-amp circuit breaker
- ▶ 15 ft. cord with locking L5-20 input plug
- ▶ 72" length



DESCRIPTION

Tripp Lite's PS7224-20T power strip offers 20 amp, 120V multi-outlet AC power distribution in a convenient 72 inch mountable housing with NEMA L5-20 locking input plug. Offers horizontal or vertical power distribution in rackmount, raceway and workbench applications. Includes 24 output receptacles with 2.795 inch center-to-center spacing, 15 ft AC line cord and lighted power switch with locking transparent cover to prevent accidental shutoff. Sturdy all-metal extruded aluminum housing stands up to demanding network, laboratory or factory environments.

INPUT / OUTPUT: Input: NEMA L5-20P (twist lock) / Output: 22 NEMA 5-15R & 2 NEMA 5-20R

ELECTRICAL: 120V AC, 50/60Hz, 20A

FORMAT: 72 in. corded, mountable power strip

KEY BUYING POINTS

- Sturdy all-metal 72 inch corded strip format with 2.795 inch center-to-center outlet spacing
- Included mounting hardware supports vertical or horizontal mounting in rack enclosures, raceways and more
- Includes 22 NEMA 5-15R and 2 NEMA 5-20R output receptacles
- Includes NEMA L5-20 twist-lock input plug connection
- Ideal for horizontal or vertical raceway style power distribution in office, workbench, industrial, networking and telecom applications
- Lighted power switch with locking transparent cover prevents accidental shutoff
- 20 amp electrical capacity with circuit breaker
- 120V AC, 50/60Hz electrical compatibility
- Lifetime warranty

TYPICAL APPLICATIONS

- Offers vertical or horizontal multi-outlet power distribution in rack enclosures, raceways, desktops and more.

PACKAGE INCLUDES

- PS7224-20T
- Mounting hardware
- Instruction manual

COMPLETE SPECIFICATIONS

SYSTEM OVERVIEW	
System overview:	6 ft. vertical power strip, includes mounting clips, 20A capacity with L5-20P plug
Voltage compatibility:	120VAC
Frequency compatibility:	50/60 Hz

OUTPUT	
Output volt amp capacity (amps):	20A
Output watt capacity (watts):	2400
Outlet quantity / type:	2 Nema 5-20R 22 Nema 5-15R
Outlet spacing:	2.795 in.
INPUT	
Input connection type:	Nema L5-20P Locking input Plug
Input cord length (ft.):	15
Input cord length (m):	4.572
Input plug features:	Black
Input cord gauge, type:	12/3 SJT
Recommended electrical service:	20A 120V
LEDS ALARMS & SWITCHES	
Switches:	Lighted 2 position switch controls power to all outlets
Locking switch cover:	Transparent on/off switch cover prevents accidental turn-off
PHYSICAL	
Unit weight (lbs):	6.6
Unit weight (kg):	2.9964
Unit Dimensions (HWD/in):	1.5 x 1.5 x 72 in.
Unit Dimensions (HWD/cm):	3.8 x 3.8 x 183
Material of construction:	Aluminum
Form factors supported:	Supports vertical or horizontal mounting in rack enclosures, raceways and a variety of other applications
Mounting accessories included:	Includes mounting clips
Housing color:	Silver
Receptacle color:	Black
AC line cord color:	Black
CERTIFICATIONS	
UL1363 (Power Tap):	UL1363
cUL / CSA (Canada):	cUL
WARRANTY	
Product warranty:	Lifetime

*The policy of Tripp Lite is one of continuous improvement.
Specifications are subject to change without notice.
Therefore, your product may vary slightly from what is currently listed.*



Tripp Lite World Headquarters
1111 W. 35th Street
Chicago, IL 60609 USA

Customer Support
(773) 869-1234

© 2004 Tripp Lite. All Rights Reserved.