

Specification Search

Description
The RA20 Series is a military qualified potentiometer made in accordance to MILR-19 specifications. It offers a 2 watt power rating and a wirewound element.
Supporting Documentation
Dimensions

Very stable over the operating

Linear taper

temperature Locking style bushing Meets MIL-R-19 standards

| Product Specifications |   |
|------------------------|---|
| Potentiometer Type     | Industrial                              |
| Element Type           | Wire Wound                              |
| Terminal Type          | Solder lug                              |
| Power Rating           | 2 W                                     |
| Resistance Value       | 500 Ohm                                 |
| Resistance Tolerance   | ±10 %                                   |
| Linearity              | ±5 %                                    |
| Bushing Thread         | 9,53 mm [0.375 in] x 32 NEF-2A          |
| Bushing length         | 12,7 mm [0.5 in]                        |
| Bushing Type           | Locking                                 |
| Shaft Diameter         | 6,35 mm [0.25 in]                       |
| Shaft length           | 15,88 mm [0.625 in]                     |
| Shaft Ending           | Slotted                                 |
| Body                   | 28.6 mm [1.125 in] diameter, $\pm$ 0.79 |

## Terminal Typ

|                        | mm [0.031 in], except at terminal standoff |
|------------------------|--|
| Electrical Taper       | Linear                                     |
| Operating Temperature  | -55 °C to 105 °C [-67 °F to 220 °F]        |
| Working Voltage (Max.) | 310 V                                      |
| Rotational Life        | 25000 cycles                               |
| Mechanical Rotation    | 300°                                       |
| Availability           | Global                                     |
| Series Name            | RA20                                       |
| UNSPSC Code            | 4111363300                                 |
| UNSPSC Commodity       | 4111363300 Potentiometers                  |

Terms & Conditions | Privacy Statement | Site Map