



**ZCRMZNICE01ZACG**

**ZCRMZNICE01ZACG 20-Pin  
Accessory Kit**

PUG002801-0108

Product User Guide

## Introduction

This product user guide helps you to setup the 20-pin accessory kit for use with Zilog's ZCRMZNICE01ZEMG Crimson In-Circuit emulator (ICE).

The following components are included with the kit:

- 20-PDIP target pod
- 20-SSOP programming adapter
- 20-SOIC programming adapter
- 20-PDIP programming adapter

## 20-PDIP Target Pod

The 20-PDIP target pod ([Figure 1](#)) allow you to connect a target board with a 20-PDIP socket to the Crimson ICE.




Figure 1. 20-PDIP Target Pod

To connect a 20-PDIP target board to the Crimson ICE:

1. Install the 20-PDIP target pod into the 20-PDIP socket on your target board.
2. Connect the 34-circuit ribbon cable included with the Crimson ICE from P10 on the ICE to P1 on the target pod.
3. Set the jumper on the 20-PDIP target pod as described in [Table 1](#).

**Table 1. Jumper Settings on the 20-PDIP Target Pod**


Jumper	Function
J1 ON	Infrared (IR) Amplifier
J1 OFF	Digital/Analog

## 20-SSOP, 20-SOIC, and 20-PDIP Programming Adapters

The programming adapters enable you to program 20-pin OTP devices using the OTP programming module supplied with the Crimson ICE. The 20-SSOP adapter is shown in [Figure 2](#). To use the adapter:

1. Install the 20-pin device into the appropriate programming adapter.
2. Install the programming adapter into the ZIF socket on the OTP programming module (see [Figure 3](#)).

Refer to the *Crimson ICE User Manual*, UM0217, for details on using the Crimson ICE and OTP programming module.



**Figure 2. 20-SSOP Programming Adapter**



**Figure 3. OTP Programming Adapter (Included with the Crimson ICE)**

- ▶ **Note:** *You can use the programming adapters in the 20-pin accessory kit to program a 20-pin ZLF645 on the IR development board using the 28-PDIP to 40-PDIP converter (99C1060-001G)*



**Warning:** DO NOT USE IN LIFE SUPPORT

### **LIFE SUPPORT POLICY**

ZILOG'S PRODUCTS ARE NOT AUTHORIZED FOR USE AS CRITICAL COMPONENTS IN LIFE SUPPORT DEVICES OR SYSTEMS WITHOUT THE EXPRESS PRIOR WRITTEN APPROVAL OF THE PRESIDENT AND GENERAL COUNSEL OF ZILOG CORPORATION.

### **As used herein**

Life support devices or systems are devices which (a) are intended for surgical implant into the body, or (b) support or sustain life and whose failure to perform when properly used in accordance with instructions for use provided in the labeling can be reasonably expected to result in a significant injury to the user. A critical component is any component in a life support device or system whose failure to perform can be reasonably expected to cause the failure of the life support device or system or to affect its safety or effectiveness.

### **Document Disclaimer**

©2008 by Zilog, Inc. All rights reserved. Information in this publication concerning the devices, applications, or technology described is intended to suggest possible uses and may be superseded. ZILOG, INC. DOES NOT ASSUME LIABILITY FOR OR PROVIDE A REPRESENTATION OF ACCURACY OF THE INFORMATION, DEVICES, OR TECHNOLOGY DESCRIBED IN THIS DOCUMENT. ZiLOG ALSO DOES NOT ASSUME LIABILITY FOR INTELLECTUAL PROPERTY INFRINGEMENT RELATED IN ANY MANNER TO USE OF INFORMATION, DEVICES, OR TECHNOLOGY DESCRIBED HEREIN OR OTHERWISE. The information contained within this document has been verified according to the general principles of electrical and mechanical engineering.

Crimzon is a registered trademark of Zilog, Inc. All other product or service names are the property of their respective owners.