

ADS1224EVM

Evaluation Module

User's Guide

*April 2004 –
Revised October 2007*

Data Acquisition Products

IMPORTANT NOTICE

Texas Instruments Incorporated and its subsidiaries (TI) reserve the right to make corrections, modifications, enhancements, improvements, and other changes to its products and services at any time and to discontinue any product or service without notice. Customers should obtain the latest relevant information before placing orders and should verify that such information is current and complete. All products are sold subject to TI's terms and conditions of sale supplied at the time of order acknowledgment.

TI warrants performance of its hardware products to the specifications applicable at the time of sale in accordance with TI's standard warranty. Testing and other quality control techniques are used to the extent TI deems necessary to support this warranty. Except where mandated by government requirements, testing of all parameters of each product is not necessarily performed.

TI assumes no liability for applications assistance or customer product design. Customers are responsible for their products and applications using TI components. To minimize the risks associated with customer products and applications, customers should provide adequate design and operating safeguards.

TI does not warrant or represent that any license, either express or implied, is granted under any TI patent right, copyright, mask work right, or other TI intellectual property right relating to any combination, machine, or process in which TI products or services are used. Information published by TI regarding third-party products or services does not constitute a license from TI to use such products or services or a warranty or endorsement thereof. Use of such information may require a license from a third party under the patents or other intellectual property of the third party, or a license from TI under the patents or other intellectual property of TI.

Reproduction of TI information in TI data books or data sheets is permissible only if reproduction is without alteration and is accompanied by all associated warranties, conditions, limitations, and notices. Reproduction of this information with alteration is an unfair and deceptive business practice. TI is not responsible or liable for such altered documentation. Information of third parties may be subject to additional restrictions.

Resale of TI products or services with statements different from or beyond the parameters stated by TI for that product or service voids all express and any implied warranties for the associated TI product or service and is an unfair and deceptive business practice. TI is not responsible or liable for any such statements.

TI products are not authorized for use in safety-critical applications (such as life support) where a failure of the TI product would reasonably be expected to cause severe personal injury or death, unless officers of the parties have executed an agreement specifically governing such use. Buyers represent that they have all necessary expertise in the safety and regulatory ramifications of their applications, and acknowledge and agree that they are solely responsible for all legal, regulatory and safety-related requirements concerning their products and any use of TI products in such safety-critical applications, notwithstanding any applications-related information or support that may be provided by TI. Further, Buyers must fully indemnify TI and its representatives against any damages arising out of the use of TI products in such safety-critical applications.

TI products are neither designed nor intended for use in military/aerospace applications or environments unless the TI products are specifically designated by TI as military-grade or "enhanced plastic." Only products designated by TI as military-grade meet military specifications. Buyers acknowledge and agree that any such use of TI products which TI has not designated as military-grade is solely at the Buyer's risk, and that they are solely responsible for compliance with all legal and regulatory requirements in connection with such use.

TI products are neither designed nor intended for use in automotive applications or environments unless the specific TI products are designated by TI as compliant with ISO/TS 16949 requirements. Buyers acknowledge and agree that, if they use any non-designated products in automotive applications, TI will not be responsible for any failure to meet such requirements.

Following are URLs where you can obtain information on other Texas Instruments products and application solutions:

Products		Applications	
Amplifiers	amplifier.ti.com	Audio	www.ti.com/audio
Data Converters	dataconverter.ti.com	Automotive	www.ti.com/automotive
DSP	dsp.ti.com	Broadband	www.ti.com/broadband
Interface	interface.ti.com	Digital Control	www.ti.com/digitalcontrol
Logic	logic.ti.com	Military	www.ti.com/military
Power Mgmt	power.ti.com	Optical Networking	www.ti.com/opticalnetwork
Microcontrollers	microcontroller.ti.com	Security	www.ti.com/security
RFID	www.ti-rfid.com	Telephony	www.ti.com/telephony
Low-Power Wireless	www.ti.com/pw	Video & Imaging	www.ti.com/video
		Wireless	www.ti.com/wireless

Mailing Address: Texas Instruments
Post Office Box 655303 Dallas, Texas 75265

EVALUATION BOARD/KIT IMPORTANT NOTICE

Texas Instruments (TI) provides the enclosed product(s) under the following conditions:

This evaluation board/kit is intended for use for **ENGINEERING DEVELOPMENT, DEMONSTRATION, OR EVALUATION PURPOSES ONLY** and is not considered by TI to be a finished end-product fit for general consumer use. Persons handling the product(s) must have electronics training and observe good engineering practice standards. As such, the goods being provided are not intended to be complete in terms of required design-, marketing-, and/or manufacturing-related protective considerations, including product safety and environmental measures typically found in end products that incorporate such semiconductor components or circuit boards. This evaluation board/kit does not fall within the scope of the European Union directives regarding electromagnetic compatibility, restricted substances (RoHS), recycling (WEEE), FCC, CE or UL, and therefore may not meet the technical requirements of these directives or other related directives.

Should this evaluation board/kit not meet the specifications indicated in the User's Guide, the board/kit may be returned within 30 days from the date of delivery for a full refund. THE FOREGOING WARRANTY IS THE EXCLUSIVE WARRANTY MADE BY SELLER TO BUYER AND IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED, IMPLIED, OR STATUTORY, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE.

The user assumes all responsibility and liability for proper and safe handling of the goods. Further, the user indemnifies TI from all claims arising from the handling or use of the goods. Due to the open construction of the product, it is the user's responsibility to take any and all appropriate precautions with regard to electrostatic discharge.

EXCEPT TO THE EXTENT OF THE INDEMNITY SET FORTH ABOVE, NEITHER PARTY SHALL BE LIABLE TO THE OTHER FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES.

TI currently deals with a variety of customers for products, and therefore our arrangement with the user is **not exclusive**.

TI assumes **no liability for applications assistance, customer product design, software performance, or infringement of patents or services described herein**.

Please read the User's Guide and, specifically, the Warnings and Restrictions notice in the User's Guide prior to handling the product. This notice contains important safety information about temperatures and voltages. For additional information on TI's environmental and/or safety programs, please contact the TI application engineer or visit www.ti.com/esh.

No license is granted under any patent right or other intellectual property right of TI covering or relating to any machine, process, or combination in which such TI products or services might be or are used.

FCC WARNING

This evaluation board/kit is intended for use for **ENGINEERING DEVELOPMENT, DEMONSTRATION, OR EVALUATION PURPOSES ONLY** and is not considered by TI to be a finished end-product fit for general consumer use. It generates, uses, and can radiate radio frequency energy and has not been tested for compliance with the limits of computing devices pursuant to part 15 of FCC rules, which are designed to provide reasonable protection against radio frequency interference. Operation of this equipment in other environments may cause interference with radio communications, in which case the user at his own expense will be required to take whatever measures may be required to correct this interference.

Mailing Address: Texas Instruments Post Office Box 655303 Dallas, Texas 75265

Copyright © 2007, Texas Instruments Incorporated

EVM WARNINGS AND RESTRICTIONS

It is important to operate this EVM within the specified input and output ranges described in the EVM User's Guide.

Exceeding the specified input range may cause unexpected operation and/or irreversible damage to the EVM. If there are questions concerning the input range, please contact a TI field representative prior to connecting the input power.

Applying loads outside of the specified output range may result in unintended operation and/or possible permanent damage to the EVM. Please consult the EVM User's Guide prior to connecting any load to the EVM output. If there is uncertainty as to the load specification, please contact a TI field representative.

During normal operation, some circuit components may have case temperatures greater than +60°C. The EVM is designed to operate properly with certain components above +60°C as long as the input and output ranges are maintained. These components include but are not limited to linear regulators, switching transistors, pass transistors, and current sense resistors. These types of devices can be identified using the EVM schematic located in the EVM User's Guide. When placing measurement probes near these devices during operation, please be aware that these devices may be very warm to the touch.

Mailing Address:

Texas Instruments
Post Office Box 655303
Dallas, Texas 75265

Read This First


About This Manual

This manual describes the ADS1224EVM evaluation fixture and how to use it. Throughout this document, the abbreviation *EVM* and the term *evaluation module* are synonymous with the ADS1224EVM.

Information About Cautions and Warnings

This book contains cautions.

**This is an example of a caution statement.
A caution statement describes a situation that could potentially
damage your software or equipment.**



The information in a caution statement is provided for your protection. Please read each caution carefully.

If You Have Questions

If you have questions regarding either the use of this evaluation module or the information contained in the accompanying documentation, please contact the Texas Instruments Product Information Center at (972) 644-5580 or visit the TI web site at www.ti.com.

Related Documentation From Texas Instruments

The following documents provide information regarding Texas Instruments integrated circuits used in the assembly of the ADS1224EVM. These documents are available from the TI web site. The last character of the literature number corresponds to the document revision, which is current at the time of the writing of this User's Guide. To obtain a copy of the following TI documents, visit our website at <http://www.ti.com/> or call the Texas Instruments Literature Response Center at (800) 477-8924 or the Product Information Center at (972) 644-5580. When ordering, identify the document by both title and literature number.

Data sheet	Literature number
ADS1224 Data Sheet	SBAS286
REF1004 Data Sheet	SBVS002
OPA350 Data Sheet	SBOS099

FCC Warning

This equipment is intended for use in a laboratory test environment only. It generates, uses, and can radiate radio frequency energy and has not been tested for compliance with the limits of computing devices pursuant to subpart J of part 15 of FCC rules, which are designed to provide reasonable protection against radio frequency interference. Operation of this equipment in other environments may cause interference with radio communications, in which case the user at his own expense will be required to take whatever measures may be required to correct this interference.

Trademarks

I²C is a registered trademark of Royal Philips Electronics B.V., The Netherlands.

All other trademarks are the property of their respective owners.

Contents

1	Overview	1-1
1.1	Introduction	1-2
1.2	Built-in Accessories	1-3
1.3	Connectors	1-3
1.4	Controls	1-4
1.5	Setting Up	1-4
2	Circuit Description	2-1
2.1	I/O Connectors and Testpoints	2-2
2.1.1	J1: Analog Connector	2-3
2.1.2	J2: Serial Connector	2-5
2.1.3	J3: Power Connector	2-6
2.2	Jumpers	2-7
2.2.1	J4 Pins 1–4: ADS1224 Power Supply Measurement	2-7
2.2.2	J4 Pins 5–10: Digital Power Supply Select	2-8
2.2.3	J4 Pins 11–12: Analog-Digital Ground Shorting Jumper	2-8
2.3	Switches	2-9
2.3.1	S1–4: Input Select Switches	2-9
2.3.2	S5–6: Reference Select	2-11
2.3.3	S5: System Clock Select	2-12
3	Usage	3-1
3.1	Input Filtering	3-2
3.2	Serial Interface	3-3
3.3	Serial EEPROM	3-3
3.4	Clock Circuitry	3-3
4	Schematic and Layout	4-1
4.1	Schematic	4-2
4.2	Printed Circuit Board Layout	4-3
4.3	Bill of Materials	4-4

Figures

2-1. Connectors and Jumpers	2-2
2-2. Analog Connector Pinout	2-3
2-3. Serial Connector Pinout	2-5
2-4. Power Connector Pinout	2-6
2-5. Jumper Block	2-7
2-6. Switches	2-9
3-1. Channel Input Filter	3-2
3-2. Channel Filter Layout	3-2
4-1. Schematic	4-2
4-2. Top Side Layout	4-3
4-3. Bottom Side Layout	4-3

Tables

2-1. Analog Connector Pin Descriptions	2-4
2-2. Serial Connector Pin Descriptions	2-5
2-3. Power Connector Pin Descriptions	2-6
2-4. AIN0-1 Input Select Switch	2-9
2-5. Common Input Switch Settings	2-10
2-6. VRP Select Switch	2-11
2-7. VRN Select Switch	2-11
2-8. Common S5-6 Combination Settings	2-12
2-9. System Clock Select Switch	2-12
4-1. Bill of Materials	4-4

Overview

The ADS1224EVM is an evaluation fixture for the ADS1224 24-bit delta-sigma ($\Delta\Sigma$) analog-to-digital converter (ADC). The ADS1224EVM is designed for prototyping and evaluation.

Topic	Page
1.1 Introduction	1-2
1.2 Built-In Accessories	1-3
1.3 Connectors	1-3
1.4 Controls	1-4
1.5 Setting Up	1-4

1.1 Introduction

Many data converter evaluation fixtures contain a computer interface or a microcontroller, but the ADS1224EVM contains only the ADS1224 device and a few support components. All ADS1224 pins are accessible through various pins on the ADS1224EVM analog and digital connectors.

The ADS1224EVM is designed using a standard card format developed by TI. This simple, consistent design makes the ADS1224EVM very easy to connect to your own prototype system. You can even think of the ADS1224EVM as an alternate package for the ADS1224—one much larger than the device itself, but also much easier to wire up by hand on your test bench.

1.2 Built-in Accessories

The ADS1224EVM includes a system clock oscillator and a low-noise voltage reference. Both of these components are optional; you can select an external system clock and an external reference using slide switches.

The +2.5V voltage reference is derived from a Burr-Brown REF1004-2.5, which is buffered by an OPA350 and filtered by a capacitor.

1.3 Connectors

The ADS1224 device on the ADS1224EVM is connected through four headers: the analog connector, the serial connector, the power connector, and the GPIO header. Pinouts and locations for the connectors are given in Chapter 2.

The **analog connector** (J1) carries analog I/O. The ADS1224 has a four-input differential multiplexer connected through pins 1–8. An optional external differential reference can be connected to pins 18 and 20.

The **serial connector** (J2) carries the ADS1224 serial digital interface, an optional external system clock signal, and an I²C connection to the onboard serial EEPROM.

The **power connector** (J3) carries the power supplies. The ADS1224EVM requires a +2.7V to +5V analog supply, and a +2.7V to +3.3V digital supply. The board is designed using a single ground net connected to DGND. An AGND pin is also provided; this pin can be connected to DGND using jumper J2.

The ADS1224 uses separate supply pins for its analog and digital sections. A jumper is inserted in each supply line. These jumpers allow the current of each supply to be measured independently.

1.4 Controls

The ADS1224EVM is configured using seven slide switches and a jumper block.

Switches S1–S4 select the input signal provided to the first two multiplexer inputs on the ADS1224. For each pair of switches, one switch controls the source for the positive input, and one controls the source for the negative input. Each of these controls can be switched between external, zero, and V_{REF} .

Switches S5 and S6 select the reference input. The possible combinations allow for several different reference configurations. See Section 2.3.2 on page 2-11 for details.

Switch S7 selects the system clock source for the ADS1224. You can select between the onboard 4MHz oscillator or an external clock.

Jumper block J4 contains jumpers for supply current measurement and digital power supply level selection. It also has a jumper for connecting the digital and analog grounds on the power connector together. See Section 2.2 on page 2-7 for details.

1.5 Setting Up

The ADS1224EVM is configured according to its use. Thus, there is no single correct procedure to follow in order to configure the test fixture.

Nevertheless, it is useful to remember the following things when you are setting up the board:

- Make certain that the digital supply level is correct. The jumper block has three positions that correspond to different voltage supply lines. A shorting block must be placed on **one**, and only one, of these supply lines for the device to operate. See Section 2.2.2 on page 2-8 for additional details.
- If you are not measuring the supply current for the ADS1224, remember to place shorting blocks in the appropriate positions on jumper block J4. Without these shorting blocks, the ADS1224 will not be powered on, and will not work properly.
- Depending on your supply configuration, you may need to place a shorting block on the analog-digital ground jumper. Some motherboards connect these grounds externally, but some do not. If there is no connection between analog and digital ground, the board will not operate.

- ❑ Check the system clock switch. If it is set to **EXT**, and you have not connected a clock signal to the external clock input pin on J2, the ADS1224 will not operate.
- ❑ The ADS1224 has several configuration input pins connected to pins on J2. If these configuration input pins are left floating, the ADS1224 may not operate properly. See the ADS1224 data sheet for further information about these pins.

Circuit Description


This chapter describes the connectors, controls, and circuit design of the ADS1224EVM in detail.

Topic	Page
2.1 I/O Connectors and Testpoints	2-2
2.2 Jumpers	2-7
2.3 Switches	2-9

2.1 I/O Connectors and Testpoints

The positions and functions of the connectors and testpoints are shown in Figure 2-1.

Figure 2-1. Connectors and Jumpers



Many of the pins on the connectors are not used. On the pinout diagrams, unused pins are not marked. In the pin description tables, unused pins are not listed, and ground pins are listed together, with the exception of the power connector.

J1, J2, and J3, although each treated as a single connector, are actually mounted as connector pairs in a pass-through configuration. Each pair has a surface-mount header on the top (component) side of the board, and a corresponding surface-mount socket on the bottom (solder) side of the board. Vias in the pads connect each pin from top to bottom. The headers, mounted on top, are suffixed **A**; the sockets, mounted on bottom, are suffixed **B**.

In the schematic, the connector pairs are shown as one symbol. For J1, J2, and J3, all bottom-side pins are connected to their corresponding top-side pins; for example, J1B pin 1 connects to J1A pin 1, J1B pin 2 connects to J1A pin 2, etc. This convention holds true for every pin on connectors J1, J2, and J3.

In the following descriptions, the connector pairs will be referred to as a single connector.

2.1.1 J1: Analog Connector

The analog connector pinout is shown in Figure 2–2 and described in Table 2–1.

Figure 2–2. Analog Connector Pinout

AN0–	1	■	■	2	AN0+
AN1–	3	■	■	4	AN1+
AN2–	5	■	■	6	AN2+
AN3–	7	■	■	8	AN3+
AGND	9	■	■	10	
AGND	11	■	■	12	
AGND	13	■	■	14	
OBREF	15	■	■	16	
AGND	17	■	■	18	REF–
AGND	19	■	■	20	REF+

Although certain pins are described as “negative,” *never* apply voltages less than -0.3V to these pins. The ADS1224 is not a bipolar-input device, and it cannot accept negative voltages below -0.3V without damaging the functional operation of the unit.

The negative input pins are so named because the voltage on such a pin is subtracted from a positive input pin during a reading.

Table 2–1. Analog Connector Pin Descriptions

Pin Number	Pin Name	Standard Name	Direction	Function	Connection
1	AN0–	AN0–	Input	Negative input 0	Through S1
2	AN0+	AN0+	Input	Positive input 0	Through S2
3	AN1–	AN1–	Input	Negative input 1	Through S3
4	AN1+	AN1+	Input	Positive input 1	Through S4
5	AN2–	AN2–	Input	Negative input 2	Direct
6	AN2+	AN2+	Input	Positive input 2	Direct
7	AN3–	AN3–	Input	Negative input 3	Direct
8	AN3+	AN3+	Input	Positive input 3	Direct
10	OBREF	VCOM	Output	Reference output/ common-mode reference	Direct
18	SYSREFN	REF–	Input	Negative reference input	Through S5
20	SYSREFP	REF+	Input	Positive reference input	Through S6
9, 11, 13, 17, 19	GND	AGND	Power	Signal ground	n/a

Note: Channels 0 and 1 are not used unless the input select switches S1–S4 are set to the appropriate positions. Channels 1 and 2 are hard-wired to the device.

2.1.2 J2: Serial Connector

The serial connector pinout diagram is shown in Figure 2–3 and described in Table 2–2.

Figure 2–3. Serial Connector Pinout




Table 2–2. Serial Connector Pin Descriptions

Pin Number	Pin Name	Standard Name	Direction	Function
1	TEMPSEN	CNTL	Input	Temperature sensor enable
2	MUX0	GPIO0	Input	Channel select, bit 0
3	SCLK	CLKX	Input	Serial clock input
6	MUX1	GPIO1	Input	Channel select, bit 1
7	$\overline{\text{CS}}$	FSX	Input	Chip select
13	DOUT	DR	Output	Serial data output
15	$\overline{\text{DRDY}}$	$\overline{\text{INT}}$	Output	Data ready signal
16	SCL	SCL	I/O	I ² C clock line
17	EXTCLK	TOUT	Input	External system clock input
19	BUFEN	GPIO5	Input	Buffer enable
20	SDA	SDA	I/O	I ² C data line
6, 12, 18	GND	DGND	Power	Signal ground

2.1.3 J3: Power Connector

The power connector pinout diagram is shown in Figure 2–4 and described in Table 2–3.

Figure 2–4. Power Connector Pinout




Table 2–3. Power Connector Pin Descriptions

Pin Number	Pin Name	Function	Use on ADS1224EVM
1	+VA	Positive Analog Supply, +5V to +18V	Not used
2	-VA	Negative Analog Supply, -5V to -18V	Not used
3	+5VA	Positive Analog Supply, +5V	Analog supply
4	-5VA	Negative Analog Supply, -5V	Not used
5	AGND	Analog Ground	Optional connection to DGND using J4
6	DGND	Digital Ground	Ground
7	+1.8VD	Positive Digital Supply, +1.8V	Digital supply, selected using J4
8	VD1	Positive Digital Supply	Not used
9	+3.3VD	Positive Digital Supply, +3.3V	Digital supply, selected using J4
10	+5VD	Positive Digital Supply, +5V	Digital supply, selected using J4


Note: The ADS1224EVM has a single ground domain. The ground is always connected to DGND. It may also be connected to AGND using J4 pins 11–12.

The ADS1224 uses an analog supply of +5V and a digital supply of +1.8V to +5.5V. +1.8V, +3.3V and +5V are all available as standard supply voltages over the power connector; the ADS1224EVM allows the user to select one of them using J4.

2.2 Jumpers

There are six jumper positions on the ADS1224EVM. All are contained in jumper block J4. The pinout of this jumper block is shown in Figure 2–5.

Figure 2–5. Jumper Block



2.2.1 J4 Pins 1–4: ADS1224 Power Supply Measurement


These jumpers can be used to measure the current of the ADS1224 power supplies. Pins 1–2 are inserted in the analog supply, and pins 3–4 are inserted in the digital supply.

For normal operation, pins 1–2 must be shorted and pins 3–4 must be shorted.

2.2.2 J4 Pins 5–10: Digital Power Supply Select

One of pin pairs 5–6, 7–8 or 9–10 must be shorted to select the digital supply level on for the ADS1224. This selection determines the level at which the ADS1224 digital lines will operate, so it is very important to set this correctly.

It is possible to measure the overall digital current of the board using these jumpers.



The ADS1224 inputs are not 5V tolerant, nor are they TTL-compatible. Although protection resistance is included in each digital line, it may be necessary to provide level translation if the ADS1224 digital supply must be powered from a different voltage than the external logic.

Note that the digital and analog supplies for the ADS1224 are independent, so level translation should rarely be needed.


2.2.3 J4 Pins 11–12: Analog-Digital Ground Shorting Jumper

Shorting this jumper connects AGND from J3 to DGND.

2.3 Switches

The positions and functions of the EVM switches are shown in Figure 2–6.

Figure 2–6. Switches



2.3.1 S1–4: Input Select Switches

These switches control which lines are routed to the ADS1224 channel 0 (AIN0) and channel 1 (AIN1) inputs. Each switch is configured in the same way and connects to a single input pin. The positions of the switches are described in Table 2–4.

Table 2–4. AIN0–1 Input Select Switch

Board Marking	Switch Position	Input Source
EXT	Left	External (J1 pin)
0V	Right	Ground
VRP	Middle	Positive reference voltage

Note that VRP is controlled by switch S5.

Since the switches for both the negative and positive inputs for each channel have the same configuration, it is easy to set up the inputs for a variety of applications. Some examples are given in Table 2–5.

Table 2–5. Common Input Switch Settings

Setting Number	S1/3 (INP)	S2/4 (INN)	Setting	Ideal Voltage Range for VRP = 2.5V	Ideal Output Code Range (Hex 2s complement)
1	EXT	EXT	External Differential	$-5V \leq (INP - INN) \leq 5V$	$0x800000 < \text{code} < 0x7FFFFFFF$
2	EXT	0V	Single-ended, ground-referenced	$0 \leq INP \leq 5V$	$0x000000 < \text{code} < 0x7FFFFFFF$
3	EXT	VRP	Single-ended, midscale-referenced	$0 \leq INP \leq 5V$	$0xC00000 < \text{code} < 0x3FFFFFFF$
4	0V	0V	Inputs shorted to ground	N/A	N/A (near zero)
5	VRP	VRP	Inputs shorted to midscale	N/A	N/A (near zero)

To measure external differential signals, use Setting 1. To measure external 0V–5V signals, use either Setting 2 or 3. Note that for single-ended signals, approximately one bit is lost from full-scale. Note that Setting 3 may provide better headroom against full-scale clipping.

Settings 4 and 5 are useful for noise tests. When using the buffer, more accurate results may be obtained with Setting 5. Also, internal offset calibration on the ADS1224 is performed as the device is in Setting 5.

2.3.2 S5–6: Reference Select

These two switches control which signals are applied to the ADS1224 differential reference input pins. The positions of the switches are described in Table 2–6 and Table 2–7.

Some common combinations of S5 and S6 are shown in Table 2–8.

Table 2–6. VRP Select Switch

Board Marking	Switch Position	VRP Source
EXT	Left	External (J1 pin 20)
2.5V	Middle	Onboard 2.5V reference voltage
AVDD	Right	Analog supply voltage (+5V typ.)

Table 2–7. VRN Select Switch

Board Marking	Switch Position	VRN Source
EXT	Left	External (J1 pin 20)
0V	Middle	Ground
2.5V	Right	Onboard 2.5V reference voltage

Table 2–8. Common S5–6 Combination Settings

Setting Number	S6 (VRN)	S5 (VRP)	Setting	VRP and OBREF Voltage	ADS1224 Reference Voltage
1	EXT	EXT	Onboard 2.5V	2.5V	External (J1 pin 20)
2	EXT	0V	Onboard 2.5V, high common-mode	AVDD	AVDD – 2.5V
3	EXT	VRP	External	SYSREFP	SYSREFP – SYSREFN
4	0V	0V	Ratiometric	SYSREFP	SYSREFP

Setting 1 is most commonly used for the onboard reference.

Setting 2 causes the reference common-mode to be higher; in a very few situations, this may improve performance, as long as the AVDD supply is quiet. Setting 2 may also be useful for certain ratiometric connections.

Setting 4 is most often used in ratiometric sensor connections. A sensor excitation voltage can be applied to the SYSREFP pin on J1. Note that the ADS1224 performance is greatly degraded over temperature for reference voltages above 2.5V.

The voltage selected from S5 is routed to the OBREF pin on J1, and also to the rightmost position of switches S1–4. This configuration allows any of the inputs to be connected to the positive reference by moving the switches to the appropriate setting.

2.3.3 S5: System Clock Select

This switch selects which of the two available clock sources on the ADS1224EVM will be provided to the ADS1224. The positions of the switch are described in Table 2–9.

Table 2–9. System Clock Select Switch

Board Marking	Switch Position	System Clock Source
EXT	Up	External (J5 pin 17)
OB	Down	Onboard 4MHz oscillator

Usage


This chapter provides guidelines on using the ADS1224EVM and connecting other systems to it.

Topic	Page
3.1 Input Filtering Capacitors	3-2
3.2 Serial Interface	3-3
3.3 Serial EEPROM	3-3
3.4 Clock Circuitry	3-3

3.1 Input Filtering

Each channel pair on the ADS1224EVM has pads for a differential RC filter, as shown in Figure 3–1.


Figure 3–1. Channel Input Filter



As shipped, the resistor pads are populated with 0Ω resistors, and the capacitor pads are unpopulated. This configuration allows you to add any values you like. The pads are 0805 footprints, so it is easy to solder resistors to them by hand. If you do not have surface-mount components, it is possible to solder leaded components to these pads.

The physical layout of the components in each filter is the same, and is shown in Figure 3–2. The pads of the differential capacitor are marked on the board with the pin they are connected to.

Figure 3–2. Channel Filter Layout



3.2 Serial Interface

The ADS1224 serial interface is connected through 100 Ω resistors to the ADS1224EVM serial connector. The resistors help terminate the lines and slow down fast edges that can couple into the part and reduce performance. Additionally, the resistors help protect the device against overvoltage.

The way you connect the ADS1224EVM in a prototype situation will normally be the same as the way you connect it on your final product. See the product datasheet for information on the serial interface of the ADS1224.

3.3 Serial EEPROM

The serial EEPROM is a Microchip 24LC256 32kB type. You can use it for anything you like; the chip is not programmed during manufacturing. Some possible uses include calibration data or board ID information.

Information on communicating with the EEPROM is available from Microchip Technology, Inc.

3.4 Clock Circuitry

The ADS1224 does not have a built-in clock oscillator, and requires an external clock signal in order to operate. The ADS1224EVM has a 4MHz clock oscillator chip on board to supply the clock signal.

In some cases, it is desirable to operate the ADS1224 at a different frequency. To do this, supply a clock to the EXTCLK pin on J1, and set switch S7 to EXT.

Schematic and Layout

This chapter contains the complete bill of materials, schematic diagram, and printed circuit board (PCB) layout for the ADS1224EVM.


Note:

Board layouts are not to scale. They are intended to show how the board is laid out; they are not intended to be used for manufacturing ADS1224EVM PCBs.

Topic	Page
4.1 Schematic	4-2
4.2 Printed Circuit Board Layout	4-3
4.3 Bill of Materials	4-4

4.1 Schematic

Figure 4-1. Schematic



4.2 Printed Circuit Board Layout

The ADS1224EVM is a four-layer PCB. The layer stack order, from top to bottom, is component (top) layer, ground plane, power plane, and solder (bottom) layer.

Four layers were necessary to accommodate the many components on the board. Four layers are not necessary for high performance with the ADS1224; the same level of performance can also be achieved on a two-layer board.

Figure 4–2. Top Side Layout





Figure 4–3. Bottom Side Layout



4.3 Bill of Materials

Table 4–1. Bill of Materials

Reference Designator	Description	Vendor	Part Number
R1, R2, R3, R4, R5, R6, R7, R8	0805-size shunt	Panasonic	ERJ-3GEY0R00V
R9	1/16W 5% 10k Ω chip resistor	Panasonic	ERJ-3GEYJ103V
R10	1/16W 5% 100k Ω chip resistor	Panasonic	ERJ-3GEYJ101V
RA1, RA2	100 Ω 4-position resistor array	CTS	744C083101JTR
C13	10 μ F ceramic chip capacitor, \pm 10%, X7R, 6.3V	Murata	GRM31CR70J106KA01L
C14, C15, C16	1 μ F ceramic chip capacitor, \pm 10%, X5R, 0603, 10V	Murata	GRM188R61A105KA61D
C17	22 μ F ceramic chip capacitor, \pm 10%, X5R, 6.3V	Murata	GRM31CR60J226KE19L
U1	Analog-to-digital converter	Texas Instruments	ADS1224IPW
U2	Operational amplifier	Texas Instruments	OPA350UA
U3	Voltage reference, 2.5V	Texas Instruments	REF1004I-2.5
U4	EEPROM, 1 ² C, 256K bits	Microchip	24LC256-I/SN
U5	Oscillator	Epson	SG-8002CA-PWT
J1A, J2A	SMT header, 20-pin, dual-row	Samtec	TSM-110-01-L-DV-P
J1B, J2B	SMT socket, 20-pin, dual-row	Samtec	SSW-110-22-F-D-VS-K
J3A	SMT header, 10-pin, dual-row	Samtec	TSM-105-01-L-DV-P
J3B	SMT socket, 10-pin, dual-row	Samtec	SSW-105-22-F-D-VS-K
J4	Header, 12-pin, dual-row	Samtec	TSW-106-07-L-D
S7	DPDT slide switch	NKK	SS22SDP2
S1, S2, S3, S4, S5, S6	DP3T slide switch	NKK	SS14MDP2