



[Home](#)
[About Vector](#)
[Distributors](#)
[Sales](#)
[Contact Us](#)

VECTORBORD® PLUGBORD™Part No. : 8020

Description :

3U x 160 mm, Hole Dia.: 0.025" , Grid: 1 mm x 1 mm
 New "S" Pattern accommodates all metric component lead spacing
 3U x 160mm Eurocard size
 2mm Connectors can be Press-fit into board end.
 Copper plated-thru holes (no solder plating)
 Peripheral ground plane
 Low cost Vectorbord® model for universal use
 Constructed of 1/16" (0.062") FR-4
 cPCI 25 row & 22 row 2 mm connectors can be press-fit.



Circuit Pattern :	Peripheral Ground Plane, 1 mm Grid Pattern
Contacts :	N/A
Hole Diameter :	0.025" Dia. Copper Plated Thru holes with annular ring around each hol
Grid :	1 mm x 1 mm
Dimension { H, W, T } :	3U x 160 mm x 1.575 mm { 3.94" x 6.30" x 0.062" }
Material :	FR4 Epoxy Glass { MIL - P13949 type Gf }
Solder Terminals :	0.025" Dia. K36
Wire-Wrap Connector :	cPCI 25 row & 22 row J1 Order 8020J1
NEMA Grade :	FR4
UL Flammability Class :	94V - 0

email us your requirements : inquire@vectorelect.com

11115 Vanowen St., North Hollywood, CA 91605, USA

Tel.: (818) 985 8208, (800) 423 5659; Fax : (818) 985 7708

Circleb® , Vectorbord® and VectorPak® are registered trademarks of Vector Electronics & Technology
 CompactPCI® is a registered trademark of PCIMG. © 2001 Vector Electronics & Technology, Inc. - All Rights