


**Fig. 1**

- Series 41X double row strip sockets are on .100" grid.
- Various solder tails available: standard length, long for multi-layer boards, very low and ultra low profile. Using Mill-Max #1001, 0134, 0501 or 1534 pins (See pages 130, 131, 134) for details.
- Hi-Rel, 4-finger BeCu #12 & #30 contacts are rated at 3 amps. See pages 207 & 208 for details.
- Insulators are high temp. thermoplastic.




**Ordering Information**




**Fig. 2**

|               |                         |                             |
|---------------|-------------------------|-----------------------------|
| <b>Fig. 1</b> | <b>Series 410...001</b> | <b>Standard Solder Tail</b> |
|               | 410-XX-2__-41-001000    | Specify # of pins → 02-64   |



**Fig. 3**

|               |                         |                           |
|---------------|-------------------------|---------------------------|
| <b>Fig. 2</b> | <b>Series 411...001</b> | <b>Long Solder Tail</b>   |
|               | 411-XX-2__-41-001000    | Specify # of pins → 02-64 |



**Fig. 4**

|               |                         |                           |
|---------------|-------------------------|---------------------------|
| <b>Fig. 3</b> | <b>Series 415...001</b> | <b>Very Low Profile</b>   |
|               | 415-XX-2__-41-001000    | Specify # of pins → 02-64 |

|               |                         |                           |
|---------------|-------------------------|---------------------------|
| <b>Fig. 4</b> | <b>Series 415...003</b> | <b>Ultra Low Profile</b>  |
|               | 415-XX-2__-41-003000    | Specify # of pins → 02-72 |



**XX=Plating Code**  
**See Below**

For RoHS compliance select plating code.

|                          |         |             |          |
|--------------------------|---------|-------------|----------|
| SPECIFY PLATING CODE XX= | 13      | 93          | 43       |
| Sleeve (Pin)             | 10μ" Au | 200μ" Sn/Pb | 200μ" Sn |
| Contact (Clip)           | 30μ" Au | 30μ" Au     | 30μ" Au  |