

ROOM

# Secure Alternative

4torm<sup>®</sup>

Secure Keypads for access control

www.keymat.com



## A CHOICE OF ELECTRONIC INTERFACES

#### AXS Strike Master



Secure, self-contained keypad and controller for electrically operated locks and strikes.

Authorised personnel can use their PIN code to open either one or two normally locked doors. Up to 50 different 4, 5 or 6 digit codes can be individually programmed. Each code can be set to trigger an electric lock or strike for a pre-set time (allowing just one person to access), or to 'latch' the door in an unlocked condition (requiring the code to be re-entered to 'unlatch' or re-lock the door). If the Strike Master keypad is used to control a single door, the 'forced door alarm', 'anti-tamper alarm' and 'duress alarm' features can be enabled.

- Up to 50 user programmable PIN codes
- 4, 5 or 6 digit PIN codes
- Indexing permits the secure allocation and re-allocation of PIN codes
- One or two door control
- Anti-tamper alarm
- · PIN code entered under duress alarm
- Forced door alarm
- Timed release or latched door option for each PIN code
- Fail (open) Fail (closed) option
- Timed lock out for repeated invalid code input
- Remote exit switch facility
- Hidden PIN code feature
- All weather resistant
- LED and audible tone status indication
- Requires 11 to 28V DC or 9 to 20V AC supply
- Quick and easy to install
- Three protection levels:
- i) Anti-vandal keypad for exposed, unsupervised hostile, public locations
- ii) Vandal resistant keypad for unsupervised, public, outdoor locations
- iii) Robust keypad for outdoor/indoor location

## ASS -COM



A Secure, self contained, two way voice communication system in 1 and 4 doorbell/callbutton versions


#### AXS Code Master



Converts codes entered via the keypad into industry standard (Weigand) data. Suitable for use as a replacement for (or in conjunction with) most standard card readers.


Intended for use with integrated access control / security systems, the keypad's electronic interface is user programmable for 26 or 32 bit (Weigand) data output.

- · Selectable 'keypress' audible tone
- · Selectable 'code accepted' audible tone
- · All weather resistant
- . LED status indication
- Requires 5V to 12V DC supply
- · Quick and easy to install
- Three protection levels:
- i) Anti-vandal keypad for exposed, unsupervised hostile, public locations
- ii) Vandal resistant keypad for unsupervised, public, outdoor locations
- iii) Robust keypad for outdoor/indoor location





Secure Alternative





#### PRODUCT SPECIFICATIONS





#### PRODUCT FEATURES

## VANDAL KEYPAD

#### Strike Master DE1KT1 WE1KT1 **Code Master**

Key Life (cycles) > 4 Million Service Temp (Dry) -20°C to +70°C Chromed Zinc Keypad Material Keypad Colour Silver Keytop Material Chromed Zinc Keytop Colour Silver Keytop Legends Engraved Legend Colour Contact Materials Carbon / Gold IP65 Weather Sealed Resistance to Static Discharge

> 12.5 KV

#### VANDAL RESISTANT

#### DEPLXT2 WEPLXT2

> 4 Million -20°C to +70°C Super Impact Polymer Black Chromed Zinc

Silver Engraved Black

Carbon / Gold IP65

> 12.5 KV

#### **GENERAL** SERVICE

### DE2KT1

> 4 Million

Mid Grey Super Impact Polymer Light Grey

Laser Marked Dark Grey Carbon / Gold

**IP65** > 12.5 KV

## WE2KT1

-20°C to +70°C Super Impact Polymer

> STORM, AXS, STRIKE MASTER & CODE MASTER ARE TRADEMARKS OF KEYMAT TECHNOLOGY LTD.

AXS-LIT-01 1SS.3

the keypad features.

subject to change without notice.

www.keymat.com



All STORM AXS Keypads incorporate the proven STORM switching technology

service environments, ranging from exposed, unsupervised public environments to general service / indoor installations. Keypads in the STORM AXS range are dimensionally and electrically interchangeable. This allows users, entering codes

at all outdoor or indoor access points, to establish and maintain familiarity with

Whilst every effort is made to ensure details are correct at time of print, specifications are

ensuring rapid, reliable and responsive data entry. Specified to survive in different

FM 39602

450-B Industrial Drive, Fort Collins, CO 80524 Tel: 970-221 2201 Fax: 970-484 4078



14 Bentinck Court Bentinck Road West Drayton UB7 7RQ England Telephone: +44/(0)1895 431421 Telefax: +44/(0)1895 431132 Telefax: