

HONEYWELL PART NUMBER
91SX39-T
PRODUCT CODE VDQ9100
MILITARY PART NUMBER M8805/109-01

REV	DOCUMENT	CHANGED BY	CHECK
3	0038450	PK 03JUN08	ASD

B



B

A

A

A

A



NOTES
 1 MOUNTING HOLES WILL ACCEPT PINS OR SCREWS OF $\phi .087$ MAX ON $.188 \pm .002$ CENTERS
 2 - TERMINALS ARE PLATED FOR SOLDERING

RELEASE NO.	PR-16148
REPLACES	

CHARACTERISTICS	
OPERATING FORCE	5 OZ MAX
RELEASE FORCE	1 OZ MIN
DIFFERENTIAL TRAVEL	.005 MAX
OVERTRAVEL	.004 MIN

ELECTRICAL DATA			
CONTACT ARRANGEMENT SPDT			
28 VOLTS DC RATING		115 VOLTS AC, 60 CPS	
	SEA LEVEL	50,000 FT	SEA LEVEL
INDUCTIVE	4 AMP	2.5 AMP	7 AMP
RESISTIVE	7 AMP	4 AMP	7 AMP
LAMP	2.5 AMP	2.5 AMP	2 AMP
APPROVALS			
MILITARY	M8805/109-01		BRAND

DESIGN UNITS: INCH
TOLERANCES UNLESS NOTED:
NO PLACE X \pm
ONE PLACE .X \pm
TWO PLACE .XX \pm
THREE PLACE .XXX \pm
FOUR PLACE .XXXX \pm
ANGLES \pm
THIRD ANGLE PROJECTION

DRAWN	SPK	05MAR08
CHECK	RJ	05MAR08
THIS DRAWING COVERS A PROPRIETARY ITEM AND IS THE PROPERTY OF HONEYWELL. THIS DRAWING IS NOT TO BE COPIED OR USED WITHOUT THE PERMISSION OF HONEYWELL.		
INTERPRET PER ANSI Y14.5M-1982 OTHER HONEYWELL ENGINEERING STANDARDS MAY APPLY		
RASTER		

Honeywell			
TITLE SWITCH - BASIC			
SIZE	TYPE	DRAWING NAME	REV
B	I	91SX39-T	3
SCALE	-	WEIGHT: .003 LB MAX	SHEET 1 OF 1