



LF version	Contact area (1 face)	Terminal area (2 faces)
LFS	0.5 um min Ag plate over 1.3 um min Nickel plate	0.2-0.6 um Ag plate all over 1.3 um Ni plate all over

Reference	Designation	Plating	Switching Force (N)
YT1053530FP LFS	KT11P3JM34LFS	SILVER	1.725 TO 2.875

TOLERANCE:
 LINEAR: ± 0.12
 ANGLUAR: ± 3°

FOR REFERENCE ONLY
 仅供参考
 THIS PRINT WILL NOT BE UPDATED
 不作自动更新

DO NOT SCALE		PDM:		A3/B
Drawn	CDY 03-Apr-06	Material:	ITT Industries Cannon Electronics (SZ) Co. Ltd.	Toupandun Industrial Area, Jinda Cheng, Xiner Village, Shajing Town, Baoan District, Shenzhen City PRC 518125
Checked	KT 03-Apr-06			
Engineer	CDY 03-Apr-06	Treatment:	Surface Roughness Unless Specified	Pro/E Generic Model Title KT11P3JMLFx
Manufact.	.			
Assembly	.	Ref: Scale 10:1 Sheet 1 of 1	Drwg. No. CU_T1.M03_003_FP	iss/rev -
Quality	.			
Approvals	Sign Date	Dimensions in: mm	Cust Spec No:	