

WIRE FERRULE CRIMPING TOOLS


TRAP24-10—TRAPEZOID CRIMPER, RATCHET, SIDE ENTRY

	RANGE	24-10 AWG (0.25-6MM ²) SINGLE
		20-14 AWG (0.5-2.5MM ²) TWIN
	LENGTH	7.5 INCHES (190MM)
	WEIGHT	12.3 OUNCES (380G)

TRAP26-10F—TRAPEZOID CRIMPER, RATCHET, FRONT ENTRY

	RANGE	24-10 AWG (0.14-6MM ²) SINGLE
		20-14 AWG (0.5-2.5MM ²) TWIN
	LENGTH	8.7 INCHES (220MM)
	WEIGHT	15.1 OUNCES (470G)

TRAP8-4—TRAPEZOID CRIMPER, RATCHET, SIDE ENTRY

	RANGE	8-4 AWG (10-25MM ²)
	LENGTH	8.7 INCHES (220MM)
	WEIGHT	18.7 OUNCES (580G)

TRAP8-1—TRAPEZOID CRIMPING, RATCHET, SIDE ENTRY

	RANGE	8-1 AWG (10-50MM ²) SINGLE
		12-6 AWG (4-16MM ²) TWIN
	LENGTH	13.4 INCHES (340MM)
	WEIGHT	28.1 OUNCES (870G)

TRAP2-1—TRAPEZOID CRIMPER, RATCHET, SIDE ENTRY

	RANGE	2-1 AWG (35-50MM ²)
	LENGTH	8.7 INCHES (220MM)
	WEIGHT	18.7 OUNCES (580G)

WIRE FERRULE CRIMPING TOOLS

TRAP24-14L—TRAPEZOID CRIMPER, NO RATCHET, SIDE ENTRY

	RANGE	24-14 AWG (0.25-2.5MM ²)
	LENGTH	5.9 INCHES (150MM)
	WEIGHT	5.6 OUNCES (174G)

IND20-6L—INDENT CRIMPER, NO RATCHET, SIDE ENTRY

	RANGE	20-6 AWG (0.8-16MM ²) SINGLE
		20-10 AWG (0.8-6MM ²) TWIN
	LENGTH	7.1 INCHES (180MM)
	WEIGHT	10.6 OUNCES (330G)

SQ28-10—SQUARE CRIMPER, RATCHET, SIDE ENTRY

	RANGE	28-10 AWG (0.08-6MM ²) SINGLE
		20-14 AWG (0.5-2.5MM ²) TWIN
	LENGTH	7.1 INCHES (180MM)
	WEIGHT	

WIRE FERRULE CRIMPING TOOLS, CABLE STRIPPER, CABLE CUTTER, LUG CRIMPER

STCR20-14—CUTTER, STRIPPER, CRIMPER, RATCHET

	RANGE	20-14 AWG (0.5-2.5MM ²)
	LENGTH	7.1 INCHES (180MM)
	WEIGHT	7.0 OUNCES (200G)
	<i>FOR STRIP WIRE FERRULES ONLY</i>	

VICE70150—LARGE WIRE FERRULE CRIMPER

	RANGE	2/0 AWG—300 MCM (70-150MM ²)
	LENGTH	4.9 x 4.3 x 1.2 INCHES (125x110x32MM)
	WEIGHT	
	<i>VICE MOUNTED</i>	

STRIP28-10—WIRE INSULATION STRIPPER WITH CUTTER

	RANGE	28-10 AWG (0.8-6MM ²)
	LENGTH	8.1 INCHES (205MM)
	WEIGHT	7.0 OUNCES (220G)

CUT 6—CABLE CUTTER

	RANGE	6 AWG (16MM ²)
	LENGTH	6.6 INCHES (170MM)
	WEIGHT	4.2 OUNCES (120G)

LUG20-10—RING AND SPADE

	RANGE	20-10 AWG (0.5-6MM ²)
	LENGTH	10.0 INCHES (255MM)
	WEIGHT	18.3 OUNCES (520G)